

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations
	<b>WasteReportDocument</b>	M		Type: WasteReportDocument Description: To specify masses and waste to be sent from a construction site to an agreed receiver. The message can also be used as a transport document when sending dangerous waste Name: <b>Waste Report - BEAst Supply NeC</b> <i>Element</i>
	xs:sequence	M	1..1	Type: <i>ContentModel</i>
	<b>WasteReportHeader</b>	M	1..1	Type: WasteReportHeader Name: <b>Header</b> <i>Element</i>
	xs:sequence	M	1..1	Type: <i>ContentModel</i>
T6424	<b>DocumentIdentity</b>	M	1..1	Type: sddb:DocumentIdentity Length: 0 .. 17 Format: sddb:String17 Name: <b>Document identity</b> Example: 7172926 7172926 <i>Element</i>
T6325	<b>DocumentDateTime</b>	M	1..1	Type: sddb:DocumentDateTime Pattern: \d{12} Format: sddb:DateAndShortTime Name: <b>Document date time</b> Example: 201212181024 <i>Element</i>
T6004	<b>ProjectNumber</b>	O	0..1	Type: sddb:ProjectNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Project number</b> Example: 6411-001 <i>Element</i>
T6005	<b>CustomerReferenceNumber</b>	O	0..1	Type: sddb:CustomerReferenceNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Customers reference/number</b> Example: 512345 <i>Element</i>
T6335	<b>CallOffReference</b>	O	0..1	Type: sddb:CallOffReference Format: xs:string Name: <b>Call off reference</b> Example: 457878 <i>Element</i>
T6336	<b>CallOffLineReference</b>	O	0..1	Type: sddb:CallOffLineReference Format: xs:string Name: <b>Call off line reference</b> Example: 12 <i>Element</i>

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6329	MaterialTicketNumber	O	0..unbounded	Type: sddb:MaterialTicketNumber Length: 0 .. 17 Format: sddb:String17 Name: <b>Material ticket number</b> Example: 447744	<i>Element</i>
T0131	DespatchedQuantity	M	1..1	Type: sddb:DespatchedQuantity FractionDigits: 4 TotalDigits: 15 Format: sddb:Quantity Name: <b>Despatched quantity</b> Example: 54	<i>Element</i> TotalDigits: 15
T6706	MeasureUnitNeBType	M	1..1	Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b>	<i>Element</i>
T6432	ContentIndicator	O	0..1	Type: sddb:ContentIndicator Format: xs:boolean Name: <b>Content indicator</b> Example: true	<i>Element</i>
	ArticleIdentifiers	M	1..1	Type: sddb:ArticleIdentifiers Name: <b>Identification, article number</b>	<i>Element</i>
	xs:sequence	M	1..1	Type:	<i>ContentModel</i>
T0172	SuppliersArticleNumber	M	1..1	Type: sddb:SuppliersArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Supplier's article number</b> Example: 10038-00 360012	<i>Element</i>
T6317	ArticleNumberTypeCoded	O	0..1	Type: sddb:ArticleNumberTypeCoded Length: 0 .. 3 Format: sddb:ArticleNumberTypeCoded Name: <b>Article number type, coded</b> Example: 01	<i>Element</i>
				<b>Code/Description</b>	
				<b>01</b>	SBMI
				<b>07</b>	Waste code
				<b>BP</b>	Buyer's article register
				<b>SA</b>	Supplier's article register

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6226	ArticleDescription	M	1..1	Type: sddb:ArticleDescription Length: 0 .. 350 Format: sddb:String350 Name: <b>Article description</b> Example: Huggmejsel 95 250x28 mm	<i>Element</i>
	RecipientWaste	O	0..1	Type: sddb:RecipientWaste Name: <b>Consignee</b>	<i>Element</i>
	xs:sequence	M	1..1	Type:	<i>ContentModel</i>
T6001	PartyIdentifier	M	1..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Party identifier</b> Example: 7651235	<i>Element</i>
T5001	PartyName	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: Skoogs AB	<i>Element</i>
T5003	StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b>	<i>Element</i>
T6117	PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b>	<i>Element</i>
T5005	CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b>	<i>Element</i>
T5010	PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b>	<i>Element</i>
	SignatureInformation	O	0..1	Type: sddb:SignatureInformation Description: <a href="#">Information about signature that might have been created at the goods reception.</a>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations
T5012	<b>xs:sequence</b>	M	1..1	Name: <b>Signature information</b>
	<b>Name</b>	M	1..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 <b>ContentModel Element</b>
T6188	<b>ExternalObjectReference</b>	O	0..1	Name: <b>Name</b> Type: sddb:ExternalObjectReference Length: 0 .. 70 Format: sddb:String70 <b>Element</b>
	<b>SenderWaste</b>	M	1..1	Name: <b>External object reference</b> Example: 10373_10549-37804109-IMAGE-D.pdf Type: sddb:SenderWaste <b>Element</b>
T6001	<b>xs:sequence</b>	M	1..1	Name: <b>Consignor</b>
	<b>PartyIdentifier</b>	M	1..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier <b>ContentModel Element</b>
T5001	<b>PartyName</b>	M	1..1	Name: <b>Party identifier</b> Example: 7651235 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName <b>Element</b>
T5003	<b>StreetName</b>	O	0..1	Name: <b>Party name</b> Example: Skoogs AB Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName <b>Element</b>
T6117	<b>PostalCodeNeB</b>	O	0..1	Name: <b>Street name</b> Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 <b>Element</b>
T5005	<b>CityName</b>	O	0..1	Name: <b>Postal code</b> Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName <b>Element</b>
				Name: <b>City name</b>

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T5011	EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512	<i>Element</i>
T5010	PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25	<i>Element</i>
	SignatureInformation	M	1..1	Type: sddb:SignatureInformation Description: Information about signature that might have been created at the goods depature. Name: Signature information	<i>Element</i>
	xs:sequence	M	1..1	Type:	<i>ContentModel</i>
T5012	Name	M	1..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
T6091	ID06	O	0..1	Type: sddb:ID06 Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
T6188	ExternalObjectReference	O	0..1	Type: sddb:ExternalObjectReference Length: 0 .. 70 Format: sddb:String70 Name: External object reference Example: 10373_10549-37804109-IMAGE-D.pdf	<i>Element</i>
	ShipperWaste	M	1..1	Type: sddb:ShipperWaste Name: Shipper	<i>Element</i>
	xs:sequence	M	1..1	Type:	<i>ContentModel</i>
T6001	PartyIdentifier	M	1..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
T5001	PartyName	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Example: 7651235	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T5003	StreetName	O	0..1	Name: <b>Party name</b> Example: Skoogs AB Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
T6117	PostalCodeNeB	O	0..1	Name: <b>Street name</b> Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
T5005	CityName	O	0..1	Name: <b>Postal code</b> Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName	<i>Element</i>
T5010	PhoneNumber	O	0..1	Name: <b>City name</b> Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25	<i>Element</i>
T6100	VehicleIdentityNumber	O	0..1	Name: <b>Phone number</b> Type: sddb:VehicleIdentityNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
	SignatureInformation	O	0..1	Name: <b>Vehicle identity number</b> Example: XML123 Type: sddb:SignatureInformation Description: <a href="#">Information about signature that might have been created at the goods shipping.</a>	<i>Element</i>
	xs:sequence	M	1..1	Name: <b>Signature information</b> Type: sddb:Name	<i>ContentModel</i>
T5012	Name	M	1..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
T6091	ID06	O	0..1	Name: <b>Name</b> Type: sddb:ID06 Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
T6188	ExternalObjectReference	O	0..1	Name: <b>Identification code ID06</b> Type: sddb:ExternalObjectReference	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# BEAst Supply NeC - Waste report

## XML Guideline

Entity id	Elements	St	Occurrence	Annotations
				Length: 0 .. 70 Format: sddb:String70 Name: <b>External object reference</b> Example: 10373_10549-37804109-IMAGE-D.pdf
	<b>UltimateCustomerWaste</b>	O	0..1	Type: sddb:UltimateCustomerWaste Name: <b>Ultimate customer</b> <i>Element</i>
	<b>xs:sequence</b>	M	1..1	Type: <i>ContentModel</i>
T6001	<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Party identifier</b> <i>Element</i>
T5001	<b>PartyName</b>	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> <i>Element</i>

St = Status: M=Mandatory, O=Optional