BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
	OrderChange	M		Type:	OrderChange	***Element***
				Description:	This business transaction is used by customers to notify changes in an earlier sent call off order.	
				Name:	**Order change**	
	xs:sequence	M	1..1	Type:		***ContentModel***
	OrderChangeHeader	M	1..1	Type:	OrderChangeHeader	***Element***
				Description:	The following terms may occur once per transaction	
				Name:	**Order change header**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6409	**OrderChangeNumber**	M	1..1	Type:	sddb:OrderChangeNumber	***Element***
				Length:	0 .. 17	
				Format:	sddb:String17	
				Name:	**Order change number**	
				Example:	282762	
T6370	**Status**	O	0..1	Type:	sddb:Status	***Element***
				Length:	0 .. 3	
				Format:	sddb:String3	
				Name:	**Status**	
				Example:	02	
T6325	**DocumentDateTime**	M	1..1	Type:	sddb:DocumentDateTime	***Element***
				Format:	xs:dateTime	
				Name:	**Document date time**	
				Example:	201212181024	
T3100	**OrderType**	O	0..1	Type:	sddb:OrderType	***Element***
				Length:	0 .. 3	
				Format:	sddb:OrderType	
				Name:	**Order type**	
				Example:	226	
T6724	**DeliveryStatusCode**	O	0..1	Type:	sddb:DeliveryStatusCode	***Element***
				Length:	0 .. 3	
				Format:	sddb:DeliveryStatusCode	
				Name:	**Delivery status code**	
				Example:	160	
T6368	**PackageLabel**	O	0..1	Type:	sddb:PackageLabel	***Element***
				Length:	0 .. 3	
				Format:	sddb:String3	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Description: The value specifies the layout of the layout to be used. Available version are currently with 7 or 8 destination fields, where the most usual is 7. Possible values are consequently '7' or '8'. Name: **Package label** Example: 7	
T6390	**VersionNumber**	O	0..1	Type: sddb:VersionNumber FractionDigits: 0 TotalDigits: 3 TotalDigits: 3 Format: sddb:Integer3 Name: **Version number** Example: 3	***Element***
T6391	**ReferenceToAnEarlierVersion**	O	0..1	Type: sddb:ReferenceToAnEarlierVersion Length: 0 .. 35 Format: sddb:String35 Name: **Reference to an earlier version** Example: 2	***Element***
T3316	**ReferenceToOrder**	M	1..1	Type: sddb:ReferenceToOrder Length: 0 .. 35 Format: sddb:String35 Name: **Reference to order**	***Element***
T6411	**ReferenceToOrderVersion**	O	0..1	Type: sddb:ReferenceToOrderVersion FractionDigits: 0 TotalDigits: 2 TotalDigits: 2 Format: sddb:Integer2 Name: **Reference to order version** Example: 1	***Element***
T6018	**OrderCurrency**	O	0..1	Type: sddb:OrderCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: **Order currency** Example: SEK	***Element***
	DeliveryPeriod	O	0..1	Type: sddb:DeliveryPeriod Name: **Delivery Period**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6319	**DeliveryPeriodStartDateTime**	M	1..1	Type: sddb:DeliveryPeriodStartDateTime Format: xs:dateTime Name: **Delivery period start date time**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	201501011200	
T6320	**DeliveryPeriodEndDateTime**	O	0..1	Type: Format: Name: Example:	sddb:DeliveryPeriodEndDateTime xs:dateTime **Delivery period end date time** 201501081200	***Element***
	Notification	O	0..1	Type: Name:	sddb:Notification **Notification**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6366	**NotificationChannel**	M	1..1	Type: Length: Format: Name: Example:	sddb:NotificationChannel 0 .. 15 sddb:NotificationChannel **Notification channel** EDI	***Element***
T6367	**NotificationTime**	O	0..1	Type: Length: Format: Name: Example:	sddb:NotificationTime 0 .. 5 sddb:String5 **Notification time** 180	***Element***
T6456	**NotificationAdress**	M	1..1	Type: Length: Format: Name: Example:	sddb:NotificationAdress 0 .. 512 sddb:NotificationAdress **Notification adress** EDI	***Element***
	Text	O	0..1	Type: Name:	sddb:Text **Free Text/information**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6008	**TransportationInformation**	O	0..1	Type: Length: Format: Name: Example:	sddb:TransportationInformation 0 .. 512 sddb:String512 **Transport information** Transport utföres med bil med baklift	***Element***
	ReferenceToDocument	O	0..1	Type: Name:	sddb:ReferenceToDocument **Document references**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6004	**ProjectNumber**	O	0..1	Type: Length: Format:	sddb:ProjectNumber 0 .. 70 sddb:String70	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Project number**	
				Example:	6411-001	
T6005	**CustomerReferenceNumber**	O	0..1	Type:	sddb:CustomerReferenceNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Customers reference/number**	
				Example:	512345	
T6010	**OfferNumber**	O	0..1	Type:	sddb:OfferNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Offer number**	
				Example:	154625	
T6012	**AccountNumber**	O	0..1	Type:	sddb:AccountNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Account number**	
				Example:	3711	
T0007	**ReferenceToAgreementOrContract**	O	0..1	Type:	sddb:ReferenceToAgreementOrContract	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Reference to agreement or contract**	
				Example:	2012-012	
T6221	**UltimateCustomerOrderNumber**	O	0..1	Type:	sddb:UltimateCustomerOrderNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Ultimate customers order number**	
				Example:	5648054	
T6222	**DrawingNumber**	O	0..unbounded	Type:	sddb:DrawingNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Drawing number**	
				Example:	5648054	
T6433	**BimModelIname**	O	0..1	Type:	sddb:BimModelIname	***Element***
				Length:	0 .. 140	
				Format:	sddb:String140	
				Name:	**BIM Model name**	
				Example:	Klarahuset.ifc	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
	BuyerNeB	M	1..1	Type: Name:	sddb:BuyerNeB **Buyer**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0008	**Buyer**	O	0..1	Type: Pattern: Format: Name: Example:	sddb:Buyer \d{13} sddb:GLN **Buyer** 7381030000028	***Element***
	AddressNeB	O	0..1	Type: Name:	sddb:AddressNeB **Id number/Name and address**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type: Length: Format: Name: Example:	sddb:PartyIdentifier 0 .. 35 sddb:PartyIdentifier **Party identifier** 7651235	***Element***
T5001	**PartyName**	M	1..1	Type: Length: Format: Name: Example:	sddb:PartyName 0 .. 35 sddb:PartyName **Party name** Skoogs AB	***Element***
T5002	**Department**	O	0..1	Type: Length: Format: Name: Example:	sddb:Department 0 .. 35 sddb:Department **Department** Inköp	***Element***
T5003	**StreetName**	O	0..1	Type: Length: Format: Name: Example:	sddb:StreetName 0 .. 35 sddb:StreetName **Street name** Tallvägen 45	***Element***
T5004	**Building**	O	0..1	Type: Length: Format: Name: Example:	sddb:Building 0 .. 35 sddb:Building **Building** A	***Element***
T5020	**PostalBoxNumber**	O	0..1	Type:	sddb:PostalBoxNumber	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Length: .. 35 Format: sddb:PostalBoxNumber Name: **Postal box number** Example: Box 12	
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Xstad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code** Example: 23192	***Element***
T5007	**CountryCode**	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: **Country, coded** Example: SE	***Element***
T6709	**BuyersContactNeB**	O	0..1	Type: sddb:BuyerContactNeB Name: **Buyer's contact**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T5012	**Name**	M	1..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: **Name** Example: Karl Svensson Karl Svensson	***Element***
T5010	**PhoneNumber**	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: **Phone number** Example: +46410341234 +46410341234	***Element***
T6323	**SMSNumber**	O	0..1	Type: sddb:SMSNumber Length: 0 .. 25 Format: sddb:String25	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**SMS number**	
				Example:	+46410341234 +46410341234	
T5011	**EmailAddress**	O	0..1	Type:	sddb:EmailAddress	***Element***
				Length:	0 .. 512	
				Format:	sddb:String512	
				Name:	**Email address**	
				Example:	karl.svensson@skoogs.se karl.svensson@skoogs.se	
T6091	**ID06**	O	0..1	Type:	sddb:ID06	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Identification code ID06**	
				Example:	BB-0711-123456 karl.svensson@skoogs.se	
	TaxReference	O	0..1	Type:	sddb:TaxReference	***Element***
				Description:	Tax reference	
				Name:	**Reference to tax and organization number.**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0099	**BuyersVATRegistrationNumber**	M	1..1	Type:	sddb:BuyersVATRegistrationNumber	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Buyer's VAT registration number**	
				Example:	SE556481581801	
	SupplierNeB	O	0..1	Type:	sddb:SupplierNeB	***Element***
				Name:	**Supplier**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0009	**Supplier**	M	1..1	Type:	sddb:Supplier	***Element***
				Pattern:	\d{13}	
				Format:	sddb:GLN	
				Name:	**Supplier**	
				Example:	7381030000032	
	AddressNeB	O	0..1	Type:	sddb:AddressNeB	***Element***
				Name:	**Id number/Name and address**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type:	sddb:PartyIdentifier	***Element***
				Length:	0 .. 35	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:PartyIdentifier Name: **Party identifier** Example: 7652344	
T5001	**PartyName**	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: **Party name** Example: Träkompaniet AB	***Element***
T5002	**Department**	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: **Department** Example: Försäljning	***Element***
T5003	**StreetName**	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: **Street name** Example: Björkstigen 10	***Element***
T5004	**Building**	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: **Building** Example: 52	***Element***
T5020	**PostalBoxNumber**	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: **Postal box number** Example: Box456	***Element***
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Ystad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	12359	
T5007	**CountryCode**	O	0..1	Type: Length: Format: Name: Example:	sddb:CountryCode .. 3 sddb:CountryBaseType **Country, coded** SE	***Element***
	TaxReference	O	0..1	Type: Description: Name:	sddb:TaxReference Tax reference **Reference to tax and organization number.**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0064	**SuppliersVATRegistrationNumber**	M	1..1	Type: Length: Format: Name: Example:	sddb:SuppliersVATRegistrationNumber 0 .. 35 sddb:String35 **Supplier's VAT registration number** SE556481581801	***Element***
	ConsigneeNeB	O	0..1	Type: Name:	sddb:ConsigneeNeB **Consignee**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0036	**Consignee**	O	0..1	Type: Pattern: Format: Name: Example:	sddb:Consignee \d{13} sddb:GLN **Consignee** 7381030000035	***Element***
	AddressNeB	O	0..1	Type: Name:	sddb:AddressNeB **Id number/Name and address**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type: Length: Format: Name: Example:	sddb:PartyIdentifier 0 .. 35 sddb:PartyIdentifier **Party identifier** 7654567	***Element***
T5001	**PartyName**	M	1..1	Type: Length: Format: Name: Example:	sddb:PartyName 0 .. 35 sddb:PartyName **Party name** TPL logistik	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T5003	**StreetName**	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: **Street name** Example: Filialvägen 21	***Element***
T5020	**PostalBoxNumber**	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: **Postal box number** Example: 1	***Element***
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Tstad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code** Example: 23219	***Element***
T5007	**CountryCode**	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: **Country, coded** Example: SE	***Element***
T3245	**ConsigneesContact**	O	0..3	Type: sddb:ConsigneesContact Name: **Consignee's contact**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T5012	**Name**	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: **Name** Example: Lena Nilsson	***Element***
T5010	**PhoneNumber**	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: **Phone number**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	+4682251590	
T6323	**SMSNumber**	O	0..1	Type: Length: Format: Name: Example:	sddb:SMSNumber 0 .. 25 sddb:String25 **SMS number** +4682251590	***Element***
T5011	**EmailAddress**	O	0..1	Type: Length: Format: Name: Example:	sddb:EmailAddress 0 .. 512 sddb:String512 **Email address** lena@tpllogistik	***Element***
T6091	**ID06**	O	0..1	Type: Length: Format: Name:	sddb:ID06 0 .. 35 sddb:String35 **Identification code ID06**	***Element***
	DeliveryNeB	O	0..1	Type: Description: Name:	sddb:DeliveryNeB Required when the Delivery party is different from the Consignee or to identify a contractor when the buyer is a sub contractor. **Delivery party**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0037	**DeliveryParty**	O	0..1	Type: Pattern: Format: Name: Example:	sddb:DeliveryParty \d{13} sddb:GLN **Delivery party** 7381050000041	***Element***
T6015	**DeliveryPlaceLocation**	O	0..1	Type: Format: Name: Example:	sddb:DeliveryPlaceLocation xs:string **Place of delivery, specified** Xstad	***Element***
	AddressNeB	O	0..1	Type: Name:	sddb:AddressNeB **Id number/Name and address**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type: Length: Format: Name: Example:	sddb:PartyIdentifier 0 .. 35 sddb:PartyIdentifier **Party identifier** 7228798	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T5001	**PartyName**	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: **Party name** Example: Skoogs lagerhall	***Element***
T5002	**Department**	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: **Department** Example: Lager	***Element***
T5003	**StreetName**	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: **Street name** Example: Tallvägen	***Element***
T5004	**Building**	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: **Building** Example: Hall A	***Element***
T5020	**PostalBoxNumber**	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: **Postal box number** Example: 1	***Element***
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Xstad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code** Example: 23192	***Element***
T5007	**CountryCode**	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Country, coded**	
				Example:	SE	
T3248	**DeliveryContact**	O	0..1	Type:	sddb:DeliveryContact	***Element***
				Name:	**Delivery contact**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T5012	**Name**	O	0..1	Type:	sddb:Name	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Name**	
				Example:	Karla Svensson	
T5010	**PhoneNumber**	O	0..1	Type:	sddb:PhoneNumber	***Element***
				Length:	0 .. 25	
				Format:	sddb:String25	
				Name:	**Phone number**	
				Example:	+4687652220	
T6323	**SMSNumber**	O	0..1	Type:	sddb:SMSNumber	***Element***
				Length:	0 .. 25	
				Format:	sddb:String25	
				Name:	**SMS number**	
				Example:	+46709382695	
T5011	**EmailAddress**	O	0..1	Type:	sddb:EmailAddress	***Element***
				Length:	0 .. 512	
				Format:	sddb:String512	
				Name:	**Email address**	
				Example:	karla@skoogs.se	
	InvoiceeNeB	O	0..1	Type:	sddb:InvoiceeNeB	***Element***
				Name:	**Invoicee**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0085	**Invoicee**	O	0..1	Type:	sddb:Invoicee	***Element***
				Pattern:	\d{13}	
				Format:	sddb:GLN	
				Name:	**Invoicee**	
				Example:	7381030000067	
	AddressNeB	O	0..1	Type:	sddb:AddressNeB	***Element***
				Name:	**Id number/Name and address**	
	xs:sequence	M	1..1	Type:		***ContentModel***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6001	**PartyIdentifier**	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: **Party identifier** Example: 7655678	***Element***
T5001	**PartyName**	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: **Party name** Example: Factoring AB	***Element***
T5002	**Department**	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: **Department** Example: Ekonomiavd	***Element***
T5003	**StreetName**	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: **Street name** Example: Fakturavägen 1	***Element***
T5020	**PostalBoxNumber**	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: **Postal box number** Example: 1	***Element***
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Fstad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code** Example: 42159	***Element***
T5007	**CountryCode**	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Country, coded**	
				Example:	SE	
	TaxReference	O	0..1	Type:	sddb:TaxReference	***Element***
				Description:	Tax reference	
				Name:	**Reference to tax and organization number.**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6030	**InvoiceeVATRegistrationNumber**	O	0..1	Type:	sddb:InvoiceeVATRegistrationNumber	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Invoiceer's VAT registration number**	
				Example:	SE556048581801	
	ShipFromNeB	O	0..1	Type:	sddb:ShipFromNeB	***Element***
				Name:	**Ship from**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0129	**Shipper**	O	0..1	Type:	sddb:Shipper	***Element***
				Pattern:	\d{13}	
				Format:	sddb:GLN	
				Name:	**Shipper**	
				Example:	7381030000099	
	Address_NeB	O	0..1	Type:	sddb:AddressNeB	***Element***
				Name:	**Id number/Name and address**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type:	sddb:PartyIdentifier	***Element***
				Length:	0 .. 35	
				Format:	sddb:PartyIdentifier	
				Name:	**Party identifier**	
				Example:	7666558	
T5001	**PartyName**	M	1..1	Type:	sddb:PartyName	***Element***
				Length:	0 .. 35	
				Format:	sddb:PartyName	
				Name:	**Party name**	
				Example:	Plast AB	
T5002	**Department**	O	0..1	Type:	sddb:Department	***Element***
				Length:	0 .. 35	
				Format:	sddb:Department	
				Name:	**Department**	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	Lager	
T5003	**StreetName**	O	0..1	Type: Length: Format: Name: Example:	sddb:StreetName 0 .. 35 sddb:StreetName **Street name** Strandgatan 12	***Element***
T5004	**Building**	O	0..1	Type: Length: Format: Name: Example:	sddb:Building 0 .. 35 sddb:Building **Building** C	***Element***
T5005	**CityName**	O	0..1	Type: Length: Format: Name: Example:	sddb:CityName 0 .. 35 sddb:CityName **City name** Sölvesborg	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: Length: Format: Name: Example:	sddb:PostalCodeNeB 0 .. 17 sddb:String17 **Postal code** 25922	***Element***
T5007	**CountryCode**	O	0..1	Type: Length: Format: Name: Example:	sddb:CountryCode .. 3 sddb:CountryBaseType **Country, coded** SE	***Element***
	UltimateCustomerNeB	O	0..1	Type: Name:	sddb:UltimateCustomerNeB **Ulitimate customer**	***Element***
	xs:choice	M	1..1	Type:		***ContentModel***
T6223	**UltimateCustomer**	O	0..1	Type: Pattern: Format: Name: Example:	sddb:UltimateCustomer \d{13} sddb:GLN **Ultimate customer** 7381300000029	***Element***
	AddressNeB	O	0..1	Type: Name:	sddb:AddressNeB **Id number/Name and address**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6001	**PartyIdentifier**	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: **Party identifier** Example: 7651236	***Element***
T5001	**PartyName**	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: **Party name** Example: Skoogs AB	***Element***
T5002	**Department**	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: **Department** Example: Butik	***Element***
T5003	**StreetName**	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: **Street name** Example: Strömgatan 15	***Element***
T5004	**Building**	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: **Building** Example: A	***Element***
T5005	**CityName**	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: **City name** Example: Xstad	***Element***
T6117	**PostalCodeNeB**	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: **Postal code** Example: 23192	***Element***
T5007	**CountryCode**	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Country, coded**	
				Example:	SE	
T????	**UltimateCustomerContact**	O	0..1	Type:	sddb:UltimateCustomerContactName	***Element***
				Name:	**Ultimate customer contact**	
				Example:	Karla Svensson	
	xs:sequence	M	1..1	Type:		***ContentModel***
T5012	**Name**	O	0..1	Type:	sddb:Name	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Name**	
				Example:	Per Persson	
T5010	**PhoneNumber**	O	0..1	Type:	sddb:PhoneNumber	***Element***
				Length:	0 .. 25	
				Format:	sddb:String25	
				Name:	**Phone number**	
				Example:	+4685651920	
T6323	**SMSNumber**	O	0..1	Type:	sddb:SMSNumber	***Element***
				Length:	0 .. 25	
				Format:	sddb:String25	
				Name:	**SMS number**	
				Example:	+4685651920	
T5011	**EmailAddress**	O	0..1	Type:	sddb:EmailAddress	***Element***
				Length:	0 .. 512	
				Format:	sddb:String512	
				Name:	**Email address**	
				Example:	per.persson@skoogs.se	
	CarrierNeB	O	0..1	Type:	sddb:CarrierNeB	***Element***
				Name:	**Carrier or forwarder**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T3208	**Carrier**	O	0..1	Type:	sddb:Carrier	***Element***
				Pattern:	\d{13}	
				Format:	sddb:GLN	
				Name:	**Carrier or forwarder**	
				Example:	7391756123987	
	AddressNeB	O	0..1	Type:	sddb:AddressNeB	***Element***
				Name:	**Id number/Name and address**	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
	xs:sequence	M	1..1	Type:	***ContentModel***
T6001	**PartyIdentifier**	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: **Party identifier** Example: 7689874	***Element***
T5001	**PartyName**	M	1..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: **Party name** Example: Transportbolaget	***Element***
T6????	**TransportInformation**	O	0..1	Type: sddb:TransportInformation Name: **Transport method information**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6130	**TransportStage**	O	0..1	Type: sddb:TransportStage Length: 0 .. 3 Format: sddb:TransportStage Name: **Transport mode name code** Example: 13	***Element***
				Code/Description	
				1 Inland transport Transport by which goods are moved from or to the frontier, or between inland points.	
				13 At destination Transport by which goods are moved at the place of destination.	
				20 Main-carriage transport The primary stage in the movement of cargo from the point of origin to the intended destination.	
T6131	**TransportMode**	O	0..1	Type: sddb:TransportMode Length: 0 .. 3 Format: sddb:TransportMode Name: **Mode of transport** Example: 20	***Element***
				Code/Description	
				10 Maritime transport This code should be used whenever the transport vehicle completes any part of ist journey by sea.	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations
				Code/Description **20** Rail transport **30** Road transport **40** Air transport
T6224	**TransportModeName**	O	0..1	Type: sddb:TransportModeName *Element* Length: 0 .. 25 Format: sddb:String25 Name: **Mode of transport name** Example: Lastbil Lastbil
	DeliveryOrTransportTerms	O	0..1	Type: sddb:DeliveryOrTransportTerms *Element* Name: **Delivery method information**
	xs:sequence	M	1..1	Type: *ContentModel*
T6019	**DeliveryFunctionCode**	O	0..1	Type: sddb:DeliveryFunctionCode *Element* Length: 0 .. 3 Format: sddb:DeliveryFunctionCode Name: **Delivery function code** Example: 6 Code/Description **2** Despatch condition Condition requested by the customer under which the supplier shall deliver: Extent of freight costs, means of transport. **4** Collected by customer Indicates that the customer will pick up the goods at the supplier. He will take care of the means of transport. **6** Delivery condition Specifies the conditions under which the goods must be delivered to the consignee. **Z1** System generated order **Z3** Container order **Z4** Collect order
T6710	**TermsOfDeliveryNeB**	O	0..1	Type: sddb:TermsOfDeliveryNeB *Element* Length: 0 .. 3 Format: sddb:TermsOfDeliveryNeB Name: **Terms of delivery** Example: EXW Code/Description **DAT** Delivered at Terminal New code in Incoterms 2010

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations
				Code/Description **DDP** Delivered Duty Paid (... named place of destination) **DDU** Delivered Duty Unpaid (... named place of destination) Not used in Incoterms 2010 **DEQ** Delivered Ex Quay (Duty paid) (... named port of destination) Not used in Incoterms 2010 **DES** Delivered Ex Ship (... named port of destination) Not used in Incoterms 2010 **EXW** Ex Works (... named place) **FAS** Free Along Ship (... named port of shipment) **FCA** Free Carrier (... named place) **FOB** Free On Board (... named port of shipment) **HLS** Retrieved loaded at vendors site **HOS** Retrieved unloaded at vendors site **LIK** Delivered brought in at buyers site **LLK** Delivered loaded at buyers site **LOK** Delivered unloaded at buyers site
T6723	**IncotermsVersion**	O	0..1	Type: sddb:IncotermsVersion *Element* Length: 0 .. 3 Format: sddb:IncotermsVersion Name: **Incoterms version** Example: Z10 Code/Description **Z00** Incoterms 2000 **Z10** Incoterms 2010
T6020	**DeliveryPlaceTerms**	O	0..1	Type: sddb:DeliveryPlaceTerms *Element* Length: 0 .. 70 Format: sddb:String70 Name: **Place of delivery** Example: Ystad
T6176	**EntryCode**	O	0..1	Type: sddb:EntryCode *Element* Length: 0 .. 12 Format: sddb:String12 Name: **Entry code** Example: 4598
T6400	**PeriodOfValidityStart**	O	0..1	Type: sddb:PeriodOfValidityStart *Element* Format: xs:dateTime Name: **Period of validity start** Example: 201506220930

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6401	**PeriodOfValidityEnd**	O	0..1	Type: sddb:PeriodOfValidityEnd Format: xs:dateTime Name: **Period of validity end** Example: 201506220945	***Element***
	UnloadingInstructions	O	0..unbounded	Type: sddb:UnloadingInstructions Name: **Unloading instructions**	***Element***
	xs:choice	M	1..1	Type:	***ContentModel***
T6344	**UnloadingInstruction**	M	1..1	Type: sddb:UnloadingInstruction Length: 0 .. 35 Format: sddb:String35 Name: **Unloading instruction** Example: Avdragbart tak	***Element***
T6343	**UnloadingInstructionCode**	M	1..1	Type: sddb:UnloadingInstructionCode Length: 0 .. 3 Format: sddb:UnloadingInstructionCode Name: **Unloading instruction code** Example: Z50	***Element***
	VehicleAttribute	O	0..unbounded	Type: sddb:VehicleAttribute Name: **Vehicle properties**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6345	**VehicleAttributeCode**	M	1..1	Type: sddb:VehicleAttributeCode Length: 0 .. 3 Format: sddb:VehicleAttributeCode Name: **Vehicle attribute code** Example: Z72	***Element***
				Code/Description **Z70** Vehicle maximum height in meter **Z71** Vehicle maximum length in meter **Z72** Vehicle maximum weight in ton **Z73** Weight in ton **Z74** Max width in meter **Z75** Max axle pressure	
T6346	**AttributeValue**	O	0..1	Type: sddb:AttributeValue Length: 0 .. 35 Format: sddb:String35 Name: **Attribute value** Example: 18	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
T6????	**PackageIdentification**	O	0..1	Type: Name:	sddb:PackageIdentification **Shipping marks consignment instruction**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0086	**ShippingMarksConsignment**	O	0..1	Type: Length: Format: Name: Example:	sddb:ShippingMarksConsignment 0 .. 350 sddb:String350 **Shipping marks consignment** Kvarteret skatan	***Element***
	DespatchGroup	O	0..1	Type: Name:	sddb:DespatchGroup **Despatch group**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6340	**DeliveryUnit**	O	0..1	Type: Length: Format: Name: Example:	sddb:DeliveryUnit 0 .. 17 sddb:String17 **Delivery unit** AZ382719	***Element***
T6347	**DestinationHeader1**	M	1..1	Type: Length: Format: Description: Name: Example:	sddb:DestinationHeader1 0 .. 20 sddb:String20 Used to create the header for the first field of BEAst Label (FDH1, see BEAst Labels technical specification). Recommended values are: Unloading place, Building, Stairs, Floor, Appartment, Room, Position, Section, Platform, Tunnel, Tunnel opening, Zone, Bridgehead, Road section, X coordinate, Y coordinate, Block and Baseline (A-D). **Destination header 1** Lossningsplats	***Element***
T6348	**DestinationContent1**	M	1..1	Type: Length: Format: Name: Example:	sddb:DestinationContent1 0 .. 10 sddb:String10 **Destination content 1** B	***Element***
T6349	**DestinationHeader2**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationHeader2 0 .. 20 sddb:String20 **Destination header 2** Hus	***Element***
T6350	**DestinationContent2**	O	0..1	Type: Length:	sddb:DestinationContent2 0 .. 10	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:String10 Name: **Destination content 2** Example: D	
T6351	— **DestinationHeader3**	O	0..1	Type: sddb:DestinationHeader3 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 3** Example: Trappa	***Element***
T6352	— **DestinationContent3**	O	0..1	Type: sddb:DestinationContent3 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 3** Example: 1	***Element***
T6353	— **DestinationHeader4**	O	0..1	Type: sddb:DestinationHeader4 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 4** Example: Våning	***Element***
T6354	— **DestinationContent4**	O	0..1	Type: sddb:DestinationContent4 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 4** Example: 2	***Element***
T6355	— **DestinationHeader5**	O	0..1	Type: sddb:DestinationHeader5 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 5** Example: Lägenhet	***Element***
T6356	— **DestinationContent5**	O	0..1	Type: sddb:DestinationContent5 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 5** Example: 1103	***Element***
T6357	— **DestinationHeader6**	O	0..1	Type: sddb:DestinationHeader6 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 6**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	Rum	
T6358	**DestinationContent6**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationContent6 0 .. 10 sddb:String10 **Destination content 6** 456	***Element***
T6359	**DestinationHeader7**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationHeader7 0 .. 20 sddb:String20 **Destination header 7** Position	***Element***
T6360	**DestinationContent7**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationContent7 0 .. 10 sddb:String10 **Destination content 7** 789	***Element***
T6361	**DestinationHeader8**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationHeader8 0 .. 20 sddb:String20 **Destination header 8** Primärlinje	***Element***
T6362	**DestinationContent8**	O	0..1	Type: Length: Format: Name: Example:	sddb:DestinationContent8 0 .. 10 sddb:String10 **Destination content 8** A117	***Element***
	OrderChangeLine	M	1..unbounded	Type: Name:	OrderChangeLine **Order change line**	***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T0051	**LineNumber**	M	1..1	Type: FractionDigits: TotalDigits: Format: Name: Example:	sddb:LineNumber 0 TotalDigits: 6 6 sddb:Integer6 **Line number** 0001	***Element***
	DeliveryPeriod	O	0..1	Type: Name:	sddb:DeliveryPeriod **Delivery Period**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
	xs:sequence	M	1..1	Type:		*ContentModel*
T6319	DeliveryPeriodStartDateTime	M	1..1	Type: Format: Name: Example:	sddb:DeliveryPeriodStartDateTime xs:dateTime **Delivery period start date time** 201501011200	*Element*
T6320	DeliveryPeriodEndDateTime	O	0..1	Type: Format: Name: Example:	sddb:DeliveryPeriodEndDateTime xs:dateTime **Delivery period end date time** 201501081200	*Element*
	DespatchGroup	O	0..unbounded	Type: Name:	sddb:DespatchGroup **Despatch group**	*Element*
	xs:sequence	M	1..1	Type:		*ContentModel*
T6340	DeliveryUnit	O	0..1	Type: Length: Format: Name: Example:	sddb:DeliveryUnit 0 .. 17 sddb:String17 **Delivery unit** AZ382719	*Element*
T6121	ConsignmentHierarchicalStructureParent	O	0..1	Type: Length: Format: Name: Example:	sddb:ConsignmentHierarchicalStructureParent 0 .. 3 sddb:String3 **ConsignmentHierarchicalStructureParent** 1	*Element*
T6347	DestinationHeader1	M	1..1	Type: Length: Format: Description: Name: Example:	sddb:DestinationHeader1 0 .. 20 sddb:String20 Used to create the header for the first field of BEAst Label (FDH1, see BEAst Labels technical specification). Recommended values are: Unloading place, Building, Stairs, Floor, Appartment, Room, Position, Section, Platform, Tunnel, Tunnel opening, Zone, Bridgehead, Road section, X coordinate, Y coordinate, Block and Baseline (A-D). **Destination header 1** Lossningsplats	*Element*
T6348	DestinationContent1	M	1..1	Type: Length: Format: Name: Example:	sddb:DestinationContent1 0 .. 10 sddb:String10 **Destination content 1** B	*Element*
T6349	DestinationHeader2	O	0..1	Type:	sddb:DestinationHeader2	*Element*

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 2** Example: Hus	
T6350	**DestinationContent2**	O	0..1	Type: sddb:DestinationContent2 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 2** Example: D	***Element***
T6351	**DestinationHeader3**	O	0..1	Type: sddb:DestinationHeader3 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 3** Example: Trappa	***Element***
T6352	**DestinationContent3**	O	0..1	Type: sddb:DestinationContent3 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 3** Example: 1	***Element***
T6353	**DestinationHeader4**	O	0..1	Type: sddb:DestinationHeader4 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 4** Example: Våning	***Element***
T6354	**DestinationContent4**	O	0..1	Type: sddb:DestinationContent4 Length: 0 .. 10 Format: sddb:String10 Name: **Destination content 4** Example: 2	***Element***
T6355	**DestinationHeader5**	O	0..1	Type: sddb:DestinationHeader5 Length: 0 .. 20 Format: sddb:String20 Name: **Destination header 5** Example: Lägenhet	***Element***
T6356	**DestinationContent5**	O	0..1	Type: sddb:DestinationContent5 Length: 0 .. 10 Format: sddb:String10	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Destination content 5**	
				Example:	1103	
T6357	**DestinationHeader6**	O	0..1	Type:	sddb:DestinationHeader6	***Element***
				Length:	0 .. 20	
				Format:	sddb:String20	
				Name:	**Destination header 6**	
				Example:	Rum	
T6358	**DestinationContent6**	O	0..1	Type:	sddb:DestinationContent6	***Element***
				Length:	0 .. 10	
				Format:	sddb:String10	
				Name:	**Destination content 6**	
				Example:	456	
T6359	**DestinationHeader7**	O	0..1	Type:	sddb:DestinationHeader7	***Element***
				Length:	0 .. 20	
				Format:	sddb:String20	
				Name:	**Destination header 7**	
				Example:	Position	
T6360	**DestinationContent7**	O	0..1	Type:	sddb:DestinationContent7	***Element***
				Length:	0 .. 10	
				Format:	sddb:String10	
				Name:	**Destination content 7**	
				Example:	789	
T6361	**DestinationHeader8**	O	0..1	Type:	sddb:DestinationHeader8	***Element***
				Length:	0 .. 20	
				Format:	sddb:String20	
				Name:	**Destination header 8**	
				Example:	Primärlinje	
T6362	**DestinationContent8**	O	0..1	Type:	sddb:DestinationContent8	***Element***
				Length:	0 .. 10	
				Format:	sddb:String10	
				Name:	**Destination content 8**	
				Example:	A117	
	DeliveryOrTransportTerms	O	0..1	Type:	sddb:DeliveryOrTransportTerms	***Element***
				Name:	**Delivery method information**	
	xs:sequence	M	1..1	Type:		***ContentModel***
	UnloadingInstructions	O	0..unbounded	Type:	sddb:UnloadingInstructions	***Element***
				Name:	**Unloading instructions**	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
	xs:choice	M	1..1	Type:		*ContentModel*
T6344	UnloadingInstruction	M	1..1	Type: Length: Format: Name: Example:	sddb:UnloadingInstruction 0 .. 35 sddb:String35 **Unloading instruction** Avdragbart tak	*Element*
T6343	UnloadingInstructionCode	M	1..1	Type: Length: Format: Name: Example:	sddb:UnloadingInstructionCode 0 .. 3 sddb:UnloadingInstructionCode **Unloading instruction code** Z50	*Element*
	ArticleIdentifiers	M	1..1	Type: Name:	sddb:ArticleIdentifiers **Identification, article number**	*Element*
	xs:sequence	M	1..1	Type:		*ContentModel*
T0154	GlobalTradeItemNumber	O	0..1	Type: Pattern: Format: Name: Example:	sddb:GlobalTradeItemNumber \d{14} sddb:GTIN **Global Trade Item Number(GS1)** 07391753017388	*Element*
T6225	GTINForConsumerUnit	O	0..1	Type: Pattern: Format: Name: Example:	sddb:GTINForConsumerUnit \d{14} sddb:GTIN **GTIN number of consumer unit** 07311980100097	*Element*
T0172	SuppliersArticleNumber	O	0..1	Type: Length: Format: Name: Example:	sddb:SuppliersArticleNumber 0 .. 35 sddb:String35 **Supplier's article number** 10038-00 360012	*Element*
T6022	BuyersPartArticleNumber	O	0..1	Type: Length: Format: Name: Example:	sddb:BuyersPartArticleNumber 0 .. 35 sddb:String35 **Buyer's article number** 45001	*Element*
T6027	NOBBArticleNumber	O	0..1	Type: Length:	sddb:NOBBArticleNumber 0 .. 35	*Element*

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:String35 Name: **NOBB article number** Example: 23717986	
T6028	**TUNArticleNumber**	O	0..1	Type: sddb:TUNArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: **TUN article number** Example: 654258971	***Element***
T6029	**FinfoVilmaArticleNumber**	O	0..1	Type: sddb:FinfoVilmaArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: **Finfo/Vilma article number** Example: 002552559	***Element***
T1120	**ManufacturersArticleNumber**	O	0..1	Type: sddb:ManufacturersArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: **Manufacturer's article number** Example: 2545001	***Element***
T6024	**RSKArticleNumberNorwegian**	O	0..1	Type: sddb:RSKArticleNumberNorwegian Length: 0 .. 10 Format: sddb:String10 Name: **Norsk Rörgrossistföreningen's article number** Example: 123456789	***Element***
T6023	**RSKArticleNumberSweden**	O	0..1	Type: sddb:RSKArticleNumberSweden FractionDigits: 0 TotalDigits: 7 TotalDigits: 7 Format: sddb:Integer7 Name: **RSK article number** Example: 5651112	***Element***
T6026	**EnumberNorwegian**	O	0..1	Type: sddb:EnumberNorwegian FractionDigits: 0 TotalDigits: 10 TotalDigits: 10 Format: sddb:Integer10 Name: **Electrical Wholsalers Norway, article number** Example: 46552358	***Element***
T0260	**ENumber**	O	0..1	Type: sddb:ENumber Length: 0 .. 10 Format: sddb:String10	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**E number**	
				Example:	32314568	
T6226	**ArticleDescription**	O	0..1	Type:	sddb:ArticleDescription	***Element***
				Length:	0 .. 350	
				Format:	sddb:String350	
				Name:	**Article description**	
				Example:	Huggmejsel 95 250x28 mm	
T6128	**PackageLevelType**	O	0..1	Type:	sddb:PackageLevelType	***Element***
				Length:	0 .. 3	
				Format:	sddb:PackageLevelType	
				Name:	**Package level code**	
				Example:	TU	
T6369	**ConfigurationValue**	O	0..1	Type:	sddb:ConfigurationValue	***Element***
				Length:	0 .. 500	
				Format:	sddb:String500	
				Name:	**Configuration value**	
				Example:	#-400-300-1250-2010-0-0-0-2-2-GALV-0.7-1-1-0-V017552	
T6037	**ProductInformation**	O	0..1	Type:	sddb:ProductInformation	***Element***
				Length:	0 .. 512	
				Format:	sddb:String512	
				Name:	**Product information**	
				Example:	Utökad garanti	
T6408	**GUIDIdentifier**	M	1..1	Type:	sddb:GUIDIdentifier	***Element***
				Length:	0 .. 36	
				Format:	sddb:String36	
				Name:	**GUID Identifier**	
				Example:	GKSDT38291738274928764	
	BIMRelationship	O	0..1	Type:	sddb:BIMRelationship	***Element***
				Name:	**BIM Relationship**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6433	**BimModelIname**	O	0..1	Type:	sddb:BimModelIname	***Element***
				Length:	0 .. 140	
				Format:	sddb:String140	
				Name:	**BIM Model name**	
				Example:	Klarahuset.ifc	
T6431	**GUIDForBIMIdentity**	O	0..1	Type:	sddb:GUIDForBIMIdentity	***Element***
				Length:	0 .. 36	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:String36 Name: **GUID Identifier for a BIM model** Example: GKSDT38291738274928764	
T6455	**GUIDForObject**	O	0..1	Type: sddb:GUIDForObject Length: 0 .. 36 Format: sddb:String36 Name: **GUID for object** Example: GKSDT38291738274928764	***Element***
	ProductTypeIdentifier	O	0..1	Type: sddb:ProductTypeIdentifier Name: **Product type identifier**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6440	**IdentityTypeCode**	O	0..1	Type: sddb:IdentityTypeCode Length: 0 .. 7 Format: sddb:IdentityTypeCode Name: **Identity type code** Example: bSDD Code/Description **CoClass** CoClass class and types **ETIM** ETIM classified product data **NA** Not available **bSDD** buildingSmart Data Dictionary	***Element***
T6441	**ProductTypeGuid**	O	0..1	Type: sddb:ProductTypeGuid Length: 0 .. 36 Format: sddb:String36 Name: **Product type ID** Example: GKSDT38291738274928764	***Element***
T6442	**ProductTypeDescription**	O	0..1	Type: sddb:ProductTypeDescription Length: 0 .. 70 Format: sddb:String70 Name: **Product type description** Example: Gipsskivor	***Element***
	Properties	O	0..1	Type: sddb:Properties Name: **Properties**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
	PropertyIds	M	1..1	Type: sddb:PropertyIds Name: **Property ID Group**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
T6443	**PropertyIdType**	M	1..1	Type: sddb:PropertyIdType Length: 0 .. 7 Format: sddb:PropertyIdType Name: **Property Id Type code** Example: bSDD	***Element***
	Measures	O	0..1	Type: sddb:Measures Name: **Group for defining measurements**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6447	**MeasureID**	O	0..1	Type: sddb:MeasureID Length: 0 .. 36 Format: sddb:String36 Name: **Measure ID** Example: GKSDT38291738274928769	***Element***
T6448	**MeasureName**	O	0..1	Type: sddb:MeasureName Length: 0 .. 70 Format: sddb:String70 Name: **Measure name.** Example: Tjocklek	***Element***
T6449	**MeasureDataType**	O	0..1	Type: sddb:MeasureDataType Length: 0 .. 3 Format: sddb:MeasureDataType Name: **Measure Data Type** Example: L Code/Description **AN** AlphaNumerical **L** Logical **N** Numerical	***Element***
	PropertyValues	M	1..1	Type: sddb:PropertyValues Name: **Property values**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6450	**PropertyValueId**	O	0..1	Type: sddb:PropertyValueId Length: 0 .. 36 Format: sddb:String36 Name: **Property value ID** Example: GKSDT38291738274928760	***Element***
T6451	**PropertyValueName**	O	0..1	Type: sddb:PropertyValueName Length: 0 .. 70	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:String70 Name: **Property value name** Example: Tjocklek	
T6706	**MeasureUnitNeBType**	O	0..1	Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: **Measurement unit code**	***Element***
T6457	**PropertyCompareCode**	M	1..1	Type: sddb:PropertyCompareCode Length: 1 .. 3 Format: sddb:PropertyCompareCode Name: **Code for comparing values** Example: EQ Code/Description **EQ** Equals **GT** Greather than **LT** Less than **RNG** Range	***Element***
	PropertyValuesValue	M	1..1	Type: sddb:PropertyValuesValue Name: **Property Value**	***Element***
	xs:choice	M	1..1	Type:	***ContentModel***
T6452	**PropertyValue**	M	1..1	Type: sddb:PropertyValue Length: 0 .. 70 Format: sddb:String70 Name: **Property measure value** Example: 2650	***Element***
	PropertyValuesRange	M	1..1	Type: sddb:PropertyValuesRange Name: **Value range**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6453	**PropertyMinvalue**	M	1..1	Type: sddb:PropertyMinvalue Length: 0 .. 70 Format: sddb:String70 Name: **Property measure min value** Example: 2650	***Element***
T6454	**PropertyMaxvalue**	M	1..1	Type: sddb:PropertyMaxvalue Length: 0 .. 70 Format: sddb:String70 Name: **Property measure max value**	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Example:	2660	
	Quantities	M	1..1	Type:	sddb:Quantities	***Element***
				Name:	**Quantities**	
	xs:sequence	M	1..1	Type:		***ContentModel***
	OrderedQuantityNeB	M	1..1	Type:	sddb:OrderedQuantityNeB	***Element***
				Name:	**Ordered quantity group**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0039	**OrderedQuantity**	M	1..1	Type:	sddb:OrderedQuantity	***Element***
				FractionDigits:	4 TotalDigits: 15	
				TotalDigits:	15	
				Format:	sddb:Quantity	
				Name:	**Ordered quantity**	
				Example:	10	
T6706	**MeasureUnitNeBType**	M	1..1	Type:	sddb:MeasureUnitNeBType	***Element***
				Length:	.. 3	
				Format:	sddb:MeasureUnitNeBType	
				Description:	Codes: EA = Each GRM = Gram HUR = Hour KGM = Kilogram KTM = Kilometre LTR = Litre MTK = Square metre MTQ = Cubic metre MTR = Metre PCE = Piece PI = Pipe PK = Package RL = Reel RO = Roll TNE = Tonne TU = Tube	
				Name:	**Measurement unit code**	

Code/Description	
EA	each
GRM	gram
HUR	hour
	kilogram

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Code/Description		
				KGM		
				KTM	kilometre	
				LTR	litre	
				MTK	square metre	
				MTQ	cubic metre	
				MTR	metre	
				PCE	Piece	
				PI	pipe	
				PK	package	
				RL	reel	
				RO	roll	
				TNE	tonne (metric ton)	
				TU	tube	
	Text	O	0..1	Type: sddb:Text Name: **Free Text/information**		***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6031	**LineItemInformation**	O	0..1	Type: sddb:LineItemInformation Length: 0 .. 512 Format: sddb:String512 Name: **Line Item information** Example: Obs Röda hantag		***Element***
T6036	**CustomerRemarks**	O	0..1	Type: sddb:CustomerRemarks Length: 0 .. 512 Format: sddb:String512 Name: **Customers remarks** Example: Leverans önskas tillsammans med order 456789		***Element***
T1107	**LanguageCode**	O	0..1	Type: sddb:LanguageCode Length: 0 .. 3 Format: sddb:String3 Name: **Language code** Example: SE		***Element***
	PriceNeb	O	0..1	Type: sddb:PriceNeb Name: **Price**		***Element***
	xs:sequence	M	1..1	Type:		***ContentModel***
T6235	**PriceAmount**	O	0..1	Type: sddb:PriceAmount FractionDigits: 4 TotalDigits: 15	TotalDigits: 15	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations
				Format: sddb:Integer15Dec4 Name: **Price amount** Example: 150.00
T6025	**PriceCode**	O	0..1	Type: sddb:PriceCode *Element* Length: 0 .. 3 Format: sddb:PriceCode Name: **Price code qualifier** Example: AAA Code/Description **AAA** Calculation net **AAB** Calulation gross
T6720	**PriceTypeCode**	O	0..1	Type: sddb:PriceTypeCode *Element* Length: 0 .. 3 Format: sddb:PriceTypeCode Name: **Price type code** Example: CA Code/Description **CA** Catalogue Code specifying the catalogue price. **CT** Contract Code specifying the contract price.
T6721	**PriceSpecificationCode**	O	0..1	Type: sddb:PriceSpecificationCode *Element* Length: 0 .. 3 Format: sddb:PriceSpecificationCode Name: **Price specification code** Example: CON Code/Description **CON** Contract price Price per unit of quantity of a product/service as agreed in a contract between parties. **CP** Current price Price at time of transaction, but subject to future change. **DPR** Discount price A reduction from the usual list value. **NC** Without price **PRP** Promotional price The value that is placed on an item that is being developed. The idea is to sell this product for less than one normally would, and make up for it by selling a larger quantity.

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations
T6722	**PriceUnitBasisQuantity**	O	0..1	Type: sddb:PriceUnitBasisQuantity ***Element*** FractionDigits: 0 TotalDigits: 4 TotalDigits: 4 Format: sddb:PriceUnitBasisQuantity Name: **Price unit basis quantity** Example: 1 Code/Description **1** Pris per st **100** Pris per 100 **1000** Pris per 1000
T6706	**MeasureUnitNeBType**	O	0..1	Type: sddb:MeasureUnitNeBType ***Element*** Length: .. 3 Format: sddb:MeasureUnitNeBType Description: Codes: EA = Each GRM = Gram HUR = Hour KGM = Kilogram KTM = Kilometre LTR = Litre MTK = Square metre MTQ = Cubic metre MTR = Metre PCE = Piece PI = Pipe PK = Package RL = Reel RO = Roll TNE = Tonne TU = Tube Name: **Measurement unit code** Code/Description **EA** each **GRM** gram **HUR** hour **KGM** kilogram **KTM** kilometre **LTR** litre **MTK** square metre

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Code/Description		
				MTQ	cubic metre	
				MTR	metre	
				PK	package	
				RL	reel	
				RO	roll	
				TNE	tonne (metric ton)	
				TU	tube	
	ReferenceToDocument	O	0..1	Type:	sddb:ReferenceToDocument	***Element***
				Name:	**Document references**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6004	**ProjectNumber**	O	0..1	Type:	sddb:ProjectNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Project number**	
				Example:	6411-001	
T6005	**CustomerReferenceNumber**	O	0..1	Type:	sddb:CustomerReferenceNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Customers reference/number**	
				Example:	512345	
T6010	**OfferNumber**	O	0..1	Type:	sddb:OfferNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Offer number**	
				Example:	154625	
T6012	**AccountNumber**	O	0..1	Type:	sddb:AccountNumber	***Element***
				Length:	0 .. 70	
				Format:	sddb:String70	
				Name:	**Account number**	
				Example:	3711	
T0007	**ReferenceToAgreementOrContract**	O	0..1	Type:	sddb:ReferenceToAgreementOrContract	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	
				Name:	**Reference to agreement or contract**	
				Example:	2012-012	
T6221	**UltimateCustomerOrderNumber**	O	0..1	Type:	sddb:UltimateCustomerOrderNumber	***Element***
				Length:	0 .. 70	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations	
				Format: sddb:String70 Name: **Ultimate customers order number** Example: 5648054	
T6458	**UltimateCustomerOrderLineNumber**	O	0..1	Type: sddb:UltimateCustomerOrderLineNumber FractionDigits: 0 TotalDigits: 6 TotalDigits: 6 Format: sddb:Integer6 Name: **Ultimate customer order line number** Example: 10	***Element***
T6222	**DrawingNumber**	O	0..unbounded	Type: sddb:DrawingNumber Length: 0 .. 70 Format: sddb:String70 Name: **Drawing number** Example: 5648054	***Element***
	ReferenceToCertificateForWoodProducts	O	0..unbounded	Type: sddb:ReferenceToCertificateForWoodProducts Name: **Reference to certificate for wood products**	***Element***
	xs:sequence	M	1..1	Type:	***ContentModel***
T6412	**TypeOfCertificate**	M	1..1	Type: sddb:TypeOfCertificate Length: 0 .. 4 Format: sddb:TypeOfCertificate Name: **Type of certificate** Example: PEFC Code/Description **FSC** Certified according to FSC. **PEFC** Certified according to PEFC, Program for the Endorsement of Forest Certification	***Element***
T6413	**CertificateNumber**	O	0..1	Type: sddb:CertificateNumber Length: 0 .. 70 Format: sddb:String70 Name: **Certificate number** Example: SE0003440-1	***Element***
T6414	**PercentageCertified**	O	0..1	Type: sddb:PercentageCertified FractionDigits: 0 TotalDigits: 3 TotalDigits: 3 Format: sddb:Integer3 Name: **Percentage certified** Example: 100	***Element***

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
T6??? ?	**PackageIdentification**	O	0..1	Type:	sddb:PackageIdentification	***Element***
				Name:	**Shipping marks consignment instruction**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0086	**ShippingMarksConsignment**	O	0..1	Type:	sddb:ShippingMarksConsignment	***Element***
				Length:	0 .. 350	
				Format:	sddb:String350	
				Name:	**Shipping marks consignment**	
				Example:	Kvarteret skatan	
	Allowance	O	0..1	Type:	sddb:Allowance	***Element***
				Name:	**Allowance/discount,**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T6719	**SpecialServiceDescritionCode**	M	1..1	Type:	sddb:SpecialServiceDescritionCode	***Element***
				Format:	sddb:SpecialServiceDescritionCode	
				Name:	**Allowance and charge code**	
				Example:	DI	
				Code/Description		
				CL	Contract allowance Description to be provided.	
				DAE	Distributor discount/allowance Specific discount/allowance for distributors.	
				DI	Discount A reduction from a usual or list price.	
				LCA	Pallet layer discount	
				OTE	Allowance in general	
				PAD	Promotional allowance Description to be provided.	
				PAR	Partner or customer discount	
				PDE	Pallet discount	
				PI	Pick-up allowance Description to be provided.	
				QD	Quantity discount Description to be provided.	
				VAB	Volume discount Discount offered based on the amount of purchase.	
				WHE	Wholeseller discount to chain or store	
T6111	**SpecialServiceDescription**	O	0..1	Type:	sddb:SpecialServiceDescription	***Element***
				Length:	0 .. 35	
				Format:	sddb:String35	

St = Status: M=Mandatory, O=Optional

BEAst Supply Material Order change

XML Guideline

Entity id	Elements	St	Occurrence	Annotations		
				Name:	**Description of special service**	
				Example:	Extra rabatt	
T6104	**StepCalculation**	O	0..1	Type:	sddb:StepCalculation	***Element***
				Length:	0 .. 3	
				Format:	sddb:StepCalculation	
				Name:	**Step of calculation**	
				Example:	1	
T6228	**Percentage**	O	0..1	Type:	sddb:Percentage	***Element***
				FractionDigits:	4 TotalDigits: 6	
				TotalDigits:	6	
				Format:	sddb:Integer6Dec4	
				Name:	**Percentage**	
				Example:	3.000	
T6229	**BaseAmount**	O	0..1	Type:	sddb:BaseAmount	***Element***
				FractionDigits:	4 TotalDigits: 15	
				TotalDigits:	15	
				Format:	sddb:Integer15Dec4	
				Name:	**Allowance/charge basis amount**	
				Example:	35.00	
T6230	**AmountNeB**	M	1..1	Type:	sddb:AmountNeB	***Element***
				FractionDigits:	4 TotalDigits: 15	
				TotalDigits:	15	
				Format:	sddb:Integer15Dec4	
				Name:	**Allowance/charge amount**	
				Example:	50.00	
	OrderChangeTrailer	O	0..1	Type:	OrderChangeTrailer	***Element***
				Description:	The following terms occur once per transaction	
				Name:	**Order change trailer**	
	xs:sequence	M	1..1	Type:		***ContentModel***
T0043	**ControlTotal-NumberOfLines**	O	0..1	Type:	sddb:ControlTotal-NumberOfLines	***Element***
				FractionDigits:	0 TotalDigits: 6	
				TotalDigits:	6	
				Format:	sddb:Integer6	
				Name:	**Control total - number of lines**	
				Example:	5	

St = Status: M=Mandatory, O=Optional