

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>Invoice</b>	M		Type: Invoice Description: This transaction is used to make invoice Name: <b>Invoice</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type: InvoiceHeader	<i>ContentModel</i>
<b>InvoiceHeader</b>	M	1..1	Description: The following terms may occur once per transaction 380 - Invoice, 381 - Credit note, 385 - Consolidated invoice Name: <b>Invoice header</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type: sddb:InvoiceTypeNeB	<i>ContentModel</i>
<b>InvoiceTypeNeB</b>	M	1..1	Type: sddb:InvoiceTypeNeB Length: 0 .. 3 Format: sddb:InvoiceTypeNeB Description: All companies can not handle consolidated invoice. Confer with trading partner before implementation. Name: <b>Invoice type</b> Example: 380	<i>Element</i>
<b>Code/Description</b>				
			<b>380</b>	Commercial invoice Document/message claiming payment for goods or services supplied under conditions agreed between seller and buyer.
			<b>381</b>	Credit note - goods and services Document/message for providing credit information to the relevant party.
			<b>385</b>	Consolidated invoice Commercial invoice that covers multiple transactions involving more than one vendor.
<b>InvoiceNumber</b>	M	1..1	Type: sddb:InvoiceNumber Length: 0 .. 17 Format: sddb:String17 Name: <b>Invoice number</b> Example: 9120546	<i>Element</i>
<b>DocumentDate</b>	M	1..1	Type: sddb:DocumentDate Pattern: \d{8} Format: sddb:Date Name: <b>Document date</b> Example: 20150601	<i>Element</i>
<b>ActualDeliveryDate</b>	O	0..1	Type: sddb:ActualDeliveryDate	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Pattern: \d{8} Format: sddb:Date Name: <b>Actual delivery date</b> Example: 20150601	
— DeliveryPeriodStartDate	O	0..1	Type: sddb:DeliveryPeriodStartDate Pattern: \d{8} Format: sddb:Date Name: <b>Delivery period, start date</b> Example: 20150601	<i>Element</i>
— DeliveryPeriodEndDate	O	0..1	Type: sddb:DeliveryPeriodEndDate Pattern: \d{8} Format: sddb:Date Name: <b>Delivery period, end date</b> Example: 20150601	<i>Element</i>
— DeliveryDateEarliest	O	0..1	Type: sddb:DeliveryDateEarliest Length: 1 .. 14 Format: sddb:DeliveryDateEarliest Name: <b>Earliest delivery date</b> Example: 20150601	<i>Element</i>
— DeliveryDateLatest	O	0..1	Type: sddb:DeliveryDateLatest Length: 1 .. 14 Format: sddb:DeliveryDateLatest Name: <b>Latest delivery date</b> Example: 20150601	<i>Element</i>
— RentalPeriodStartDate	O	0..1	Type: sddb:RentalPeriodStartDate Length: 1 .. 14 Format: sddb:RentalPeriodStartDate Name: <b>Rental period start date</b> Remark: Motsvarar kod 158 Horizon start date i edifact Example: 20150601	<i>Element</i>
— RentalPeriodEndDate	O	0..1	Type: sddb:RentalPeriodEndDate Length: 1 .. 14 Format: sddb:RentalPeriodEndDate Name: <b>Rental period end date</b> Remark: Motsvarar kod 159 Horizon end date i edifact Example: 20150601	<i>Element</i>
— ReasonForCreditingNeBType	O	0..1	Type: sddb:ReasonForCreditingNeBType Format: sddb:ReasonForCreditingNeBType	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Name: <b>Reason for crediting</b> Example: 79E Code/Description <b>108</b> Financial compensation <b>140</b> Financial compensation Return of goods <b>79E</b> Return of goods Error in delivery <b>Z01</b> Error in delivery Damaged goods Damaged goods	
— NatureTransaction	O	0..1	Type: sddb:NatureTransaction Length: 0 .. 3 Format: sddb:NatureTransaction Name: <b>Nature of transaction</b> Example: Z02 Code/Description <b>141</b> Subject to annual bonus Item concerned is applicable for annual bonus calculation.	<i>Element</i>
— PersonalCode	O	0..1	Type: sddb:PersonalCode Length: 0 .. 25 Format: sddb:String25 Name: <b>Personal password</b> Example: 8394	<i>Element</i>
— Text	O	0..1	Type: sddb:Text Name: <b>Free Text/information</b>	<i>Element</i>
— xs:sequence	M	1..1	Type: sddb:DeliveryMarkInstruction	<i>ContentModel</i>
— DeliveryMarkInstruction	O	0..1	Type: sddb:DeliveryMarkInstruction Length: 0 .. 350 Format: sddb:DeliveryMarkInstruction Name: <b>Delivery instruction marks</b> Example: Leveranser mottages mellan 07.00 - 10.00	<i>Element</i>
— PartyInstruction	O	0..1	Type: sddb:PartyInstruction Length: 0 .. 512 Format: sddb:String512 Name: <b>Party instruction marks</b> Example: Fri text	<i>Element</i>
— GeneralInformation	O	0..1	Type: sddb:GeneralInformation	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Length: 0 .. 512 Format: sddb:String512 Name: <b>General information</b> Example: Företaget innehar F-skatt	
SupplierRemark	O	0..1	Type: sddb:SupplierRemark Length: 0 .. 512 Format: sddb:String512 Name: <b>Suppliers remarks</b> Example: Nytt plusgironr 772064-9 gäller från 2009-05-01	<i>Element</i>
LanguageCode	O	0..1	Type: sddb:LanguageCode Length: 0 .. 3 Format: sddb:String3 Name: <b>Language code</b> Example: SE	<i>Element</i>
UrlLink	O	0..1	Type: sddb:UrlLink Name: <b>Link to URLiIs</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
LinkToCompanyWebPage	O	0..1	Type: sddb:LinkToCompanyWebPage Length: 0 .. 350 Format: sddb:String350 Name: <b>Link to company web page</b> Example: www.trakompaniet.se	<i>Element</i>
LinkToRelatedDocument	O	0..1	Type: sddb:LinkToRelatedDocument Length: 0 .. 350 Format: sddb:String350 Name: <b>Link to related document</b> Example: http://www.foretaget.se/mina_sidor/invoice/123456	<i>Element</i>
ReferenceToDocument	O	0..1	Type: sddb:ReferenceToDocument Name: <b>Document references</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
OrderNumber	O	0..1	Type: sddb:OrderNumber Length: 0 .. 17 Format: sddb:String17 Name: <b>Order number</b> Example: 2123456 456218	<i>Element</i>
ProjectNumber	O	0..1	Type: sddb:ProjectNumber	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Length: 0 .. 70 Format: sddb:String70 Name: <b>Project number</b> Example: 6411-001	
— DespatchAdviceNumberNeb	O	0..1	Type: sddb:DespatchAdviceNumberNeb Length: 0 .. 70 Format: sddb:String70 Name: <b>Despatch advice number</b> Example: 454566	<b>Element</b>
— CustomerReferenceNumber	O	0..1	Type: sddb:CustomerReferenceNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Customers reference/number</b> Example: 512345	<b>Element</b>
— VendorOrderNumber	O	0..1	Type: sddb:VendorOrderNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Vendors order number</b> Example: 45462	<b>Element</b>
— ReferenceToInvoice	O	0..1	Type: sddb:ReferenceToInvoice Length: 0 .. 17 Format: sddb:String17 Name: <b>Reference to invoice</b> Example: 913584	<b>Element</b>
— ReferenceToCreditNote	O	0..1	Type: sddb:ReferenceToCreditNote Length: 0 .. 17 Format: sddb:String17 Name: <b>Reference to credit note</b> Example: 9125654	<b>Element</b>
— PaymentReference	O	0..1	Type: sddb:PaymentReference Length: 0 .. 70 Format: sddb:String70 Name: <b>Reference for suppliers payment reference</b> Example: 177301432023	<b>Element</b>
— OfferNumber	O	0..1	Type: sddb:OfferNumber Length: 0 .. 70 Format: sddb:String70	<b>Element</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
AccountNumber	O	0..1	Name: <b>Offer number</b> Example: 154625 Type: sddb:AccountNumber Length: 0 .. 70 Format: sddb:String70	<i>Element</i>
AccountGroupNumber	O	0..1	Name: <b>Account number</b> Example: 3711 Type: sddb:AccountGroupNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Group Account number</b> Remark: Specifik märkningsinfo som köparen har angett till leverantör och som leverantör skall sända tillbaka i fakturan Example: 52	<i>Element</i>
ReferenceToAgreementOrContract	O	0..1	Type: sddb:ReferenceToAgreementOrContract Length: 0 .. 35 Format: sddb:String35 Name: <b>Reference to agreement or contract</b> Example: 2012-012	<i>Element</i>
UltimateCustomerReferenceNumber	O	0..1	Type: sddb:UltimateCustomerReferenceNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Ultimate customers referens number</b> Example: 5648054	<i>Element</i>
UltimateCustomerOrderNumber	O	0..1	Type: sddb:UltimateCustomerOrderNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Ultimate customers order number</b> Example: 5648054	<i>Element</i>
ReferenceToDeliveryNote	O	0..1	Type: sddb:ReferenceToDeliveryNote Length: 0 .. 35 Format: sddb:String35 Name: <b>Reference to delivery note</b> Example: 4567	<i>Element</i>
ExternalObjectReference	O	0..unbounded	Type: sddb:ExternalObjectReference Length: 0 .. 70 Format: sddb:String70	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>BuyerNeB</b>	M	1..1	Name: <b>External object reference</b> Example: 10373_10549-37804109-IMAGE-D.pdf Type: sddb:BuyerNeB	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Name: <b>Buyer</b> Type: sddb:Buyer	<i>ContentModel</i>
<b>Buyer</b>	O	0..1	Type: sddb:Buyer Pattern: \d{13} Format: sddb:GLN	<i>Element</i>
<b>AddressNeB</b>	O	0..1	Name: <b>Buyer</b> Example: 7381030000028 Type: sddb:AddressNeB	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Name: <b>Id number/Name and address</b> Type: sddb:PartyIdentifier	<i>ContentModel</i>
<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
<b>PartyName</b>	O	0..1	Name: <b>Partner Identifier</b> Example: 7651235 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>
<b>Department</b>	O	0..1	Name: <b>Party name</b> Example: Skoogs AB Type: sddb:Department Length: 0 .. 35 Format: sddb:Department	<i>Element</i>
<b>StreetName</b>	O	0..1	Name: <b>Department</b> Example: Inköp Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
<b>Building</b>	O	0..1	Name: <b>Street name</b> Example: Tallvägen 45 Type: sddb:Building Length: 0 .. 35 Format: sddb:Building	<i>Element</i>
			Name: <b>Building</b>	

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
PostalBoxNumber	O	0..1	Example: A Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: <b>Postal box number</b> Example: Box 12	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Xstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 23192	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
BuyersContactNeB	O	0..1	Type: sddb:BuyerContactNeB Name: <b>Buyer's contact</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Karl Svensson Karl Svensson	<i>Element</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: +46410341234 +46410341234	<i>Element</i>
EmailAddress	O	0..1	Type: sddb:EmailAddress	<i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: karl.svensson@skoogs.se karl.svensson@skoogs.se	
ID06	O	0..1	Type: sddb:ID06 Length: 0 .. 35 Format: sddb:String35 Name: <b>Identification code ID06</b> Example: BB-0711-123456 karl.svensson@skoogs.se	<i>Element</i>
TaxReference	O	0..1	Type: sddb:TaxReference Description: <b>Tax reference</b> Name: <b>Reference to tax and organization number</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
BuyersVATRegistrationNumber	O	0..1	Type: sddb:BuyersVATRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Buyer's VAT registration number</b> Example: SE556481581801	<i>Element</i>
RegistrationNumber	O	0..1	Type: sddb:RegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Company registrerings number</b> Example: 5564538188	<i>Element</i>
FiscalNumber	O	0..1	Type: sddb:FiscalNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Fiscal number</b> Example: 8546251972	<i>Element</i>
GovernmentReferenceNumber	O	0..1	Type: sddb:GovernmentReferenceNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Government referencenumber</b> Example: 5566583512	<i>Element</i>
TaxRegistrationNumber	O	0..1	Type: sddb:TaxRegistrationNumber Length: 0 .. 35	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Format: sddb:String35 Name: <b>Tax registration number</b> Example: SE556453818801	
SupplierNeB	M	1..1	Type: sddb:SupplierNeB Name: <b>Supplier</b>	<i>Element</i>
xs:sequence	M	1..1	Type: sddb:Supplier Pattern: \d{13}	<i>ContentModel</i>
Supplier	O	0..1	Format: sddb:GLN Name: <b>Supplier</b> Example: 7381030000032	<i>Element</i>
AddressNeB	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>	<i>Element</i>
xs:sequence	M	1..1	Type: sddb:PartyIdentifier Length: 0 .. 35	<i>ContentModel</i>
PartyIdentifier	O	0..1	Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b> Example: 7652344	<i>Element</i>
PartyName	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>
			Name: <b>Party name</b> Example: Tråkompaniet AB	
Department	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department	<i>Element</i>
			Name: <b>Department</b> Example: Försäljning	
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
			Name: <b>Street name</b> Example: Björkstigen 10	
PostalBoxNumber	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
CityName	O	0..1	Name: <b>Postal box number</b> Example: Box456 Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName <b>Element</b>
PostalCodeNeB	O	0..1	Name: <b>City name</b> Example: Ystad Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 <b>Element</b>
CountryCode	O	0..1	Name: <b>Postal code</b> Example: 12359 Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType <b>Element</b>
SuppliersContact	O	0..1	Name: <b>Country, coded</b> Example: SE Type: sddb:SuppliersContact <b>Element</b>
xs:sequence	M	1..1	Type: <b>Supplier's contact</b> <b>ContentModel</b>
Name	O	0..1	Type: sddb>Name Length: 0 .. 35 Format: sddb:String35 <b>Element</b>
PhoneNumber	O	0..1	Name: <b>Name</b> Example: Lars Larsson Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 <b>Element</b>
EmailAddress	O	0..1	Name: <b>Phone number</b> Example: +4687681590 Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 <b>Element</b>
SuppliersFinancialInformation	O	0..4	Name: <b>Email address</b> Example: lars.larsson@trakompaniet.se Type: sddb:SuppliersFinancialInformation Description: <a href="#">If multiple SupplierFinancialInformation elements are used agree with trading partner how</a> <b>Element</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			they should be interpreted.	
xs:sequence	M	1..1	Name: <b>Supplier account number</b>	<i>ContentModel</i>
SupplierBankgiroNumber	O	0..1	Type: sddb:SupplierBankgiroNumber Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
SupplierPlusgiroNumber	O	0..1	Name: <b>Supplier's bankgiro number</b> Example: 5110-1234 1234-1234 Type: sddb:SupplierPlusgiroNumber Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
SupplierIBANNumber	O	0..1	Name: <b>Supplier's plusgiro number</b> Example: 413 13 45-6 772064-2 Type: sddb:SupplierIBANNumber Length: 0 .. 50 Format: sddb:String50	<i>Element</i>
SuppliersBICCode	O	0..1	Name: <b>Supplier's IBAN number</b> Example: SE74 9500 1099 8042 3840 7679 12345678998744563 Type: sddb:SuppliersBICCode Length: 0 .. 50 Format: sddb:String50	<i>Element</i>
TaxReference	O	0..1	Name: <b>Supplier's BIC code</b> Example: NEAABCDD Type: sddb:TaxReference	<i>Element</i>
xs:sequence	M	1..1	Description: <b>Tax reference</b> Name: <b>Reference to tax and organization number</b>	<i>ContentModel</i>
SuppliersVATRegistrationNumber	O	0..1	Type: sddb:SuppliersVATRegistrationNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
RegistrationNumber	O	0..1	Name: <b>Supplier's VAT registration number</b> Example: SE556481581801 Type: sddb:RegistrationNumber Length: 0 .. 35	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:String35 Name: <b>Company registrerings number</b> Example: 5564538188
FiscalNumber	O	0..1	Type: sddb:FiscalNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Fiscal number</b> Example: 8546251972
GovernmentReferenceNumber	O	0..1	Type: sddb:GovernmentReferenceNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Government referencenumber</b> Example: 5566583512
TaxRegistrationNumber	O	0..1	Type: sddb:TaxRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Tax registration number</b> Example: SE556453818801
SupplierAsOfficiallyRegistered	O	0..1	Type: sddb:SupplierAsOfficiallyRegistered Name: <b>Suppliers officiell registered</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
Supplier	O	0..1	Type: sddb:Supplier Pattern: \d{13} Format: sddb:GLN Name: <b>Supplier</b> Example: 7381030000032
SuppliersCompanyOfficiallyPlace	M	1..1	Type: sddb:SupplierCompanyOfficiallyPlace Length: 0 .. 35 Format: sddb:String35 Name: <b>Supplier's company officially place</b> Remark: Skall vara samma som org.nr och VAT nr som leverantören, och behöver inte anges Example: Stockholm Stockholm
SuppliersCompanyRegistrationNumber	O	0..1	Type: sddb:SuppliersCompanyRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Supplier's company registration number</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
AddressNeB	O	0..1	Example: 5564538188 Type: sddb:AddressNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Id number/Name and address</b>	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
DeliveryNeB	O	0..1	Example: 7652344 Type: sddb:DeliveryNeB	<i>Element</i>
xs:sequence	M	1..1	Description: <b>Required when the Delivery party is different from the Consignee or to identify a contractor when the buyer is a sub contractor.</b> Name: <b>Delivery party</b>	<i>ContentModel</i>
DeliveryParty	O	0..1	Type: sddb:DeliveryParty Pattern: \d{13} Format: sddb:GLN	<i>Element</i>
DeliveryPlaceLocation	O	0..1	Name: <b>Delivery party</b> Example: 738105000041 Type: sddb:DeliveryPlaceLocation Format: xs:string	<i>Element</i>
AddressNeB	O	0..1	Name: <b>Place of delivery, specified</b> Example: Xstad Type: sddb:AddressNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Id number/Name and address</b>	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
PartyName	O	0..1	Name: <b>Partner Identifier</b> Example: 7228798 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>
			Name: <b>Party name</b> Example: Skoogs lagerhall	

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
Department	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: <b>Department</b> Example: Lager	<i>Element</i>
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Tallvägen	<i>Element</i>
Building	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: <b>Building</b> Example: Hall A	<i>Element</i>
PostalBoxNumber	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: <b>Postal box number</b> Example: 1	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Xstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 23192	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
DeliveryContact	O	0..1	Type: sddb:DeliveryContact Name: <b>Delivery contact</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>xs:sequence</b>	M	1..1	Type:	<b>ContentModel</b>
<b>Name</b>	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Karla Svensson	<b>Element</b>
<b>PhoneNumber</b>	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: +4687652220	<b>Element</b>
<b>EmailAddress</b>	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: karla@skoogs.se	<b>Element</b>
<b>ConsigneeNeB</b>	O	0..1	Type: sddb:ConsigneeNeB Name: <b>Consignee</b>	<b>Element</b>
<b>xs:sequence</b>	M	1..1	Type:	<b>ContentModel</b>
<b>Consignee</b>	O	0..1	Type: sddb:Consignee Pattern: \d{13} Format: sddb:GLN Name: <b>Consignee</b> Example: 7381030000035	<b>Element</b>
<b>AddressNeB</b>	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>	<b>Element</b>
<b>xs:sequence</b>	M	1..1	Type:	<b>ContentModel</b>
<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b> Example: 7654567	<b>Element</b>
<b>PartyName</b>	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: TPL logistik	<b>Element</b>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Filialvägen 21	<i>Element</i>
PostalBoxNumber	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: <b>Postal box number</b> Example: 1	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Tstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 23219	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
ConsigneesContact	O	0..unbounded	Type: sddb:ConsigneesContact Name: <b>Consignee's contact</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Lena Nilsson	<i>Element</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
EmailAddress	O	0..1	Example: +4682251590 Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: lena@tplogistik	<i>Element</i>
InvoiceeNeB	O	0..1	Type: sddb:InvoiceeNeB Name: <b>Invoice</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Invoicee	O	0..1	Type: sddb:Invoicee Pattern: \d{13} Format: sddb:GLN Name: <b>Invoice</b> Example: 7381030000067	<i>Element</i>
AddressNeB	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b> Example: 7655678	<i>Element</i>
PartyName	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: Factoring AB	<i>Element</i>
Department	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: <b>Department</b> Example: Ekonomiavd	<i>Element</i>
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Fakturavägen 1	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
PostalBoxNumber	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: <b>Postal box number</b> Example: 1	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Fstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 42159	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
InvoiceesContact	O	0..1	Type: sddb:InvoiceesContact Name: <b>Invoicee's contact</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Eva Svensson	<i>Element</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: +4681901590	<i>Element</i>
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>TaxReference</b>	O	0..1	Example: eva@factoring.se Type: sddb:TaxReference Description: Tax reference	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Name: <b>Reference to tax and organization number</b> Type:	<i>ContentModel</i>
<b>InvoiceeVATRegistrationNumber</b>	O	0..1	Type: sddb:InvoiceeVATRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Invoicee's VAT registration number</b> Example: SE556048581801	<i>Element</i>
<b>RegistrationNumber</b>	O	0..1	Type: sddb:RegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Company registrerings number</b> Example: 5564538188	<i>Element</i>
<b>FiscalNumber</b>	O	0..1	Type: sddb:FiscalNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Fiscal number</b> Example: 8546251972	<i>Element</i>
<b>GovernmentReferenceNumber</b>	O	0..1	Type: sddb:GovernmentReferenceNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Government referencenumber</b> Example: 5566583512	<i>Element</i>
<b>TaxRegistrationNumber</b>	O	0..1	Type: sddb:TaxRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Tax registration number</b> Example: SE556453818801	<i>Element</i>
<b>InvoiceIssuerNeB</b>	O	0..1	Type: sddb:InvoiceIssuerNeB Name: <b>Invoice issuer</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>InvoiceIssuer</b>	O	0..1	Type: sddb:InvoiceIssuer Pattern: \d{13} Format: sddb:GLN Name: <b>Invoice issuer, id</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>AddressNeB</b>	O	0..1	Example: 7381030000018 Type: sddb:AddressNeB	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Name: <b>Id number/Name and address</b>	<i>ContentModel</i>
<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
<b>PartyName</b>	O	0..1	Name: <b>Partner Identifier</b> Example: 7658912 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>
<b>Department</b>	O	0..1	Name: <b>Party name</b> Example: Ekonomitjänst AB AB Type: sddb:Department Length: 0 .. 35 Format: sddb:Department	<i>Element</i>
<b>StreetName</b>	O	0..1	Name: <b>Department</b> Example: Reskontran Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
<b>PostalBoxNumber</b>	O	0..1	Name: <b>Street name</b> Example: Debetvägen 1 Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber	<i>Element</i>
<b>CityName</b>	O	0..1	Name: <b>Postal box number</b> Example: 1 Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName	<i>Element</i>
<b>PostalCodeNeB</b>	O	0..1	Name: <b>City name</b> Example: Estad Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
CountryCode	O	0..1	Name: <b>Postal code</b> Example: 12345 Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType	<i>Element</i>
InvoicelssuerContact	O	0..1	Name: <b>Country, coded</b> Example: SE Type: sddb:InvoicelssuerContact	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Invoice issuers contact</b> Example: Karl Svensson Type: sddb:InvoicelssuerContact	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
PhoneNumber	O	0..1	Name: <b>Name</b> Example: Svea Svensson Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25	<i>Element</i>
EmailAddress	O	0..1	Name: <b>Phone number</b> Example: +4687901234 Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512	<i>Element</i>
TaxReference	O	0..1	Name: <b>Email address</b> Example: svea@ekonomitjanst.se Type: sddb:TaxReference Description: <a href="#">Tax reference</a>	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Reference to tax and organization number</b> Type: sddb:TaxReference	<i>ContentModel</i>
InvoicelssuerVATRegistrationNumber	O	0..1	Type: sddb:InvoicelssuerVATRegistrationNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
RegistrationNumber	O	0..1	Name: <b>Invoice issuer's VAT registration number</b> Example: SE558158581801 Type: sddb:RegistrationNumber Length: 0 .. 35	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Format: sddb:String35 Name: <b>Company registrerings number</b> Example: 5564538188	
FiscalNumber	O	0..1	Type: sddb:FiscalNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
GovernmentReferenceNumber	O	0..1	Name: <b>Fiscal number</b> Example: 8546251972 Type: sddb:GovernmentReferenceNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
TaxRegistrationNumber	O	0..1	Name: <b>Government referencenumber</b> Example: 5566583512 Type: sddb:TaxRegistrationNumber Length: 0 .. 35 Format: sddb:String35	<i>Element</i>
PayeeNeB	O	0..1	Name: <b>Tax registration number</b> Example: SE556453818801 Type: sddb:PayeeNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Payee</b> Type: sddb:Payee	<i>ContentModel</i>
Payee	O	0..1	Pattern: \d{13} Format: sddb:GLN	<i>Element</i>
AddressNeB	O	0..1	Name: <b>Payee</b> Example: 7381030000076 Type: sddb:AddressNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Id number/Name and address</b> Type: sddb:PartyIdentifier	<i>ContentModel</i>
PartyIdentifier	O	0..1	Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
PartyName	O	0..1	Name: <b>Partner Identifier</b> Example: 7652345 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
Department	O	0..1	Name: <b>Party name</b> Example: Tråkompaniet AB Type: sddb:Department Length: 0 .. 35 Format: sddb:Department	<i>Element</i>
StreetName	O	0..1	Name: <b>Department</b> Example: Ekonomiavd Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
PostalBoxNumber	O	0..1	Name: <b>Street name</b> Example: Björkstigen 10 Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber	<i>Element</i>
CityName	O	0..1	Name: <b>Postal box number</b> Example: Box 456 Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName	<i>Element</i>
PostalCodeNeB	O	0..1	Name: <b>City name</b> Example: Svedala Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
CountryCode	O	0..1	Name: <b>Postal code</b> Example: 23192 Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType	<i>Element</i>
PayeeContact	O	0..1	Name: <b>Country, coded</b> Example: SE Type: sddb:PayeeContact	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Payeer's contact</b> Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35	<i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Format: sddb:String35 Name: <b>Name</b> Example: Lisa Svensson	
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25	<i>Element</i>
EmailAddress	O	0..1	Name: <b>Phone number</b> Example: +4640123467 Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512	<i>Element</i>
PayeeFinancialInformation	O	0..4	Name: <b>Email address</b> Example: lisa.svensson@trakompaniet.se Type: sddb:PayeeFinancialInformation Description: <a href="#">If multiple SupplierFinancialInformation elements are used agree with trading partner how they should be interpreted.</a>	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Payee account number</b>	<i>ContentModel</i>
PayeesBankgiroNumber	O	0..1	Type: sddb:PayeesBankgiroNumber Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
PayeesPlusgiroNumber	O	0..1	Name: <b>Payee's bankgiro number</b> Example: 1234-1234 Type: sddb:PayeesPlusgiroNumber Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
PayeeIBANNumber	O	0..1	Name: <b>Payee's plusgiro number</b> Example: 772064-2 Type: sddb:PayeeIBANNumber Length: 0 .. 50 Format: sddb:String50	<i>Element</i>
PayeeBICCode	O	0..1	Name: <b>Payee's IBAN number</b> Example: SE74 9500 1099 8042 3840 7679 Type: sddb:PayeeBICCode Length: 0 .. 50 Format: sddb:String50	<i>Element</i>
			Name: <b>Payees BIC code</b>	

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>ShipFromNeB</b>	O	0..1	Example: NEAABCDD Type: sddb:ShipFromNeB Name: <b>Ship from</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>Shipper</b>	O	0..1	Type: sddb:Shipper Pattern: \d{13} Format: sddb:GLN Name: <b>Shipper</b> Example: 7381030000099	<i>Element</i>
<b>Address_NeB</b>	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b> Example: 7666558	<i>Element</i>
<b>PartyName</b>	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: Plast AB	<i>Element</i>
<b>Department</b>	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: <b>Department</b> Example: Lager	<i>Element</i>
<b>StreetName</b>	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Strandgatan 12	<i>Element</i>
<b>Building</b>	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: <b>Building</b> Example: C	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Sölvesborg	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 25922	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
ShipFromContact	O	0..1	Type: sddb:ShipFromContact Name: <b>Ship from contact</b> Example: Per Norman	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Ola Norman	<i>Element</i>
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: ola.norman@plast.se	<i>Element</i>
PartyDeclaringVATNeB	O	0..1	Type: sddb:PartyDeclaringVATNeB Name: <b>Tax agent</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PartyDeclaringVAT	O	0..1	Type: sddb:PartyDeclaringVAT Pattern: \d{13} Format: sddb:GLN Name: <b>Party declaring the Value added Tax(VAT)</b> Example: 7381030000077	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>AddressNeB</b>	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>PartyIdentifier</b>	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b> Example: 7651111	<i>Element</i>
<b>PartyName</b>	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: Visma Service	<i>Element</i>
<b>StreetName</b>	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Karenslyst Alle 56	<i>Element</i>
<b>PostalBoxNumber</b>	O	0..1	Type: sddb:PostalBoxNumber Length: .. 35 Format: sddb:PostalBoxNumber Name: <b>Postal box number</b> Example: Postboks 733, Skøyen	<i>Element</i>
<b>CityName</b>	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Ullevål	<i>Element</i>
<b>PostalCodeNeB</b>	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 23192	<i>Element</i>
<b>CountryCode</b>	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
<b>TaxReference</b>	O	0..1	Example: NO Type: sddb:TaxReference Description: Tax reference Name: <b>Reference to tax and organization number</b> <i>Element</i>
<b>xs:sequence</b>	M	1..1	Type: <i>ContentModel</i>
<b>PartyDeclaringVATsVATRegistrationNumber</b>	O	0..1	Type: sddb:PartyDeclaringVATsVATRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Party declaring the Value added Tax(VAT) VAT registration number</b> Example: 983 833 719 MVA <i>Element</i>
<b>RegistrationNumber</b>	O	0..1	Type: sddb:RegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Company registrerings number</b> Example: 5564538188 <i>Element</i>
<b>FiscalNumber</b>	O	0..1	Type: sddb:FiscalNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Fiscal number</b> Example: 8546251972 <i>Element</i>
<b>GovernmentReferenceNumber</b>	O	0..1	Type: sddb:GovernmentReferenceNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Government referencenumber</b> Example: 5566583512 <i>Element</i>
<b>TaxRegistrationNumber</b>	O	0..1	Type: sddb:TaxRegistrationNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Tax registration number</b> Example: SE556453818801 <i>Element</i>
<b>Tax</b>	O	0..1	Type: sddb:Tax Name: <b>TAX Handling</b> <i>Element</i>
<b>xs:sequence</b>	M	1..1	Type: <i>ContentModel</i>
<b>TaxBaseTypeNeB</b>	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Example: VAT Code/Description <b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up. <b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle.
TaxCategoryNeBType	M	1..1	Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S Code/Description <b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112//EC <b>E</b> Exempt from tax Code specifying that taxes are not applicable. <b>S</b> Standard rate Code specifying the standard rate. <b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate.
ExemptionReasonTextNeB	O	0..1	Type: sddb:ExemptionReasonTextNeB Length: 0 .. 512 Format: sddb:String512 Name: <b>Justification for tax exemption, clear text</b> Example: NA Moms på byggtjänster har ej debiterats enl. Momsvärdesskattelagen 1 kap 2§
VATRate	M	1..1	Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25 TotalDigits: 6
InvoiceCurrency	O	0..1	Type: sddb:InvoiceCurrency Name: <b>Invoice Currency, to home-, Invoice- or Payment Currency</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
Currency	O	0..1	Type: sddb:Currency Name: <b>Currency</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
RateOfExchange	O	0..1	Type: sddb:RateOfExchange FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of exchange</b> Example: 10.45	TotalDigits: 6 <i>Element</i>
ReferenceCurrency	O	0..1	Type: sddb:ReferenceCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: <b>Reference currency</b> Example: SEK	<i>Element</i>
InvoicingCurrency	O	0..1	Type: sddb:InvoicingCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: <b>Invoicing currency</b> Example: SEK	<i>Element</i>
TargetCurrency	O	0..1	Type: sddb:TargetCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: <b>Target currency</b> Example: EUR	<i>Element</i>
HomeCurrency	O	0..1	Type: sddb:HomeCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: <b>Home currency</b> Example: SEK	<i>Element</i>
PaymentCurrency	O	0..1	Type: sddb:PaymentCurrency Length: .. 3 Format: sddb:CurrencyBaseType Name: <b>Payment currency</b> Example: EUR	<i>Element</i>
ExchangeRateDate	O	0..1	Type: sddb:ExchangeRateDate Pattern: \d{8} Format: sddb:Date Name: <b>Date of rate of exchange</b> Example: 20150601	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>PaymentInstruction</b>	M	1..1	Type: sddb:PaymentInstruction Name: <b>Payment instruction</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>TermsDiscountDueDate-time</b>	O	0..1	Type: sddb:TermsDiscountDueDate-time Pattern: \d{8} Format: sddb:Date Name: <b>Terms discount due date/time</b> Example: 20150601	<i>Element</i>
<b>PaymentTermsGroup</b>	O	0..1	Type: sddb:PaymentTermsGroup Name: <b>Payment instruction group</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>TermsNetDueDate</b>	O	0..1	Type: sddb:TermsNetDueDate Pattern: \d{8} Format: sddb:Date Name: <b>Terms net due date</b> Example: 20150601	<i>Element</i>
<b>PaymentTermsDescription</b>	O	0..1	Type: sddb:PaymentTermsDescription Length: 0 .. 35 Format: sddb:String35 Name: <b>Payment, condition description</b> Example: 30 dagar netto	<i>Element</i>
<b>PaymentDays</b>	O	0..1	Type: sddb:PaymentDays FractionDigits: 0 TotalDigits: 3 Format: sddb:Integer3 Name: <b>Payment days</b> Example: 30	<i>Element</i> TotalDigits: 3
<b>PaymentPenaltyGroup</b>	O	0..1	Type: sddb:PaymentPenaltyGroup Name: <b>Penalty payment instruction</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>PaymentPenaltyPercentage</b>	O	0..1	Type: sddb:PaymentPenaltyPercentage FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Penal interest of payment, Penlty percentage</b> Example: 15	<i>Element</i> TotalDigits: 6
<b>PaymentPenaltyDescription</b>	O	0..1	Type: sddb:PaymentPenaltyDescription	<i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations																
			Length: 0 .. 200 Format: sddb:String200 Name: <b>Payment penalty description</b> Example: Vid betalning efter förfalldag debiteras dröjsmålsränta med referensränta + 8 %																
<b>DeliveryOrTransportTerms</b>	O	0..1	Type: sddb:DeliveryOrTransportTerms <b>Element</b> Name: <b>Delivery method information</b>																
<b>xs:sequence</b>	M	1..1	Type: <b>ContentModel</b>																
<b>DeliveryFunctionCode</b>	O	0..1	Type: sddb:DeliveryFunctionCode <b>Element</b> Length: 0 .. 3 Format: sddb:DeliveryFunctionCode Name: <b>Delivery function code</b> Example: 6 <table border="1"> <thead> <tr> <th>Code/Description</th> <th></th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Collected by customer Indicates that the customer will pick up the goods at the supplier. He will take care of the means of transport.</td> </tr> <tr> <td>6</td> <td>Delivery condition Specifies the conditions under which the goods must be delivered to the consignee.</td> </tr> <tr> <td>41</td> <td>Collected by customer (Phone / Fax Orders)</td> </tr> <tr> <td>42</td> <td>Collected by customer (Collect orders)</td> </tr> <tr> <td>61</td> <td>Delivery conditionr (Phone / Fax Orders)</td> </tr> <tr> <td>62</td> <td>Delivery condition (Collect orders)</td> </tr> </tbody> </table>	Code/Description		4	Collected by customer Indicates that the customer will pick up the goods at the supplier. He will take care of the means of transport.	6	Delivery condition Specifies the conditions under which the goods must be delivered to the consignee.	41	Collected by customer (Phone / Fax Orders)	42	Collected by customer (Collect orders)	61	Delivery conditionr (Phone / Fax Orders)	62	Delivery condition (Collect orders)		
Code/Description																			
4	Collected by customer Indicates that the customer will pick up the goods at the supplier. He will take care of the means of transport.																		
6	Delivery condition Specifies the conditions under which the goods must be delivered to the consignee.																		
41	Collected by customer (Phone / Fax Orders)																		
42	Collected by customer (Collect orders)																		
61	Delivery conditionr (Phone / Fax Orders)																		
62	Delivery condition (Collect orders)																		
<b>TermsOfDeliveryNeB</b>	O	0..1	Type: sddb:TermsOfDeliveryNeB <b>Element</b> Length: 0 .. 3 Format: sddb:TermsOfDeliveryNeB Name: <b>Terms of delivery</b> Example: EXW <table border="1"> <thead> <tr> <th>Code/Description</th> <th></th> </tr> </thead> <tbody> <tr> <td>CFR</td> <td>Cost and Freight</td> </tr> <tr> <td>CIF</td> <td>Cost, Insurance, Freight (... named port of destination)</td> </tr> <tr> <td>CIP</td> <td>Carriage and Insurance Paid to (... named place of destination)</td> </tr> <tr> <td>CPT</td> <td>Carriage Paid To (... named place of destination)</td> </tr> <tr> <td>DAF</td> <td>Delivered At frontier (... named place) Not used in Incoterms 2010</td> </tr> <tr> <td>DAP</td> <td>Delivered at Place New code in Incoterms 2010</td> </tr> <tr> <td>DAT</td> <td>Delivered at Terminal New code in Incoterms 2010</td> </tr> </tbody> </table>	Code/Description		CFR	Cost and Freight	CIF	Cost, Insurance, Freight (... named port of destination)	CIP	Carriage and Insurance Paid to (... named place of destination)	CPT	Carriage Paid To (... named place of destination)	DAF	Delivered At frontier (... named place) Not used in Incoterms 2010	DAP	Delivered at Place New code in Incoterms 2010	DAT	Delivered at Terminal New code in Incoterms 2010
Code/Description																			
CFR	Cost and Freight																		
CIF	Cost, Insurance, Freight (... named port of destination)																		
CIP	Carriage and Insurance Paid to (... named place of destination)																		
CPT	Carriage Paid To (... named place of destination)																		
DAF	Delivered At frontier (... named place) Not used in Incoterms 2010																		
DAP	Delivered at Place New code in Incoterms 2010																		
DAT	Delivered at Terminal New code in Incoterms 2010																		

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations																											
			<table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr> <td><b>DDP</b></td> <td>Delivered Duty Paid (... named place of destination)</td> </tr> <tr> <td><b>DDU</b></td> <td>Delivered Duty Unpaid (... named place of destination) <i>Not used in Incoterms 2010</i></td> </tr> <tr> <td><b>DEQ</b></td> <td>Delivered Ex Quay (Duty paid) (... named port of destination) <i>Not used in Incoterms 2010</i></td> </tr> <tr> <td><b>DES</b></td> <td>Delivered Ex Ship (... named port of destination) <i>Not used in Incoterms 2010</i></td> </tr> <tr> <td><b>EXW</b></td> <td>Ex Works (... named place)</td> </tr> <tr> <td><b>FAS</b></td> <td>Free Along Ship (... named port of shipment)</td> </tr> <tr> <td><b>FCA</b></td> <td>Free Carrier (... named place)</td> </tr> <tr> <td><b>FOB</b></td> <td>Free On Board (... named port of shipment)</td> </tr> <tr> <td><b>HLS</b></td> <td>Retrieved loaded at vendors site</td> </tr> <tr> <td><b>HOS</b></td> <td>Retrieved unloaded at vendors site</td> </tr> <tr> <td><b>LIK</b></td> <td>Delivered brought in at buyers site</td> </tr> <tr> <td><b>LLK</b></td> <td>Delivered loaded at buyers site</td> </tr> <tr> <td><b>LOK</b></td> <td>Delivered unloaded at buyers site</td> </tr> </tbody> </table>	Code/Description	<b>DDP</b>	Delivered Duty Paid (... named place of destination)	<b>DDU</b>	Delivered Duty Unpaid (... named place of destination) <i>Not used in Incoterms 2010</i>	<b>DEQ</b>	Delivered Ex Quay (Duty paid) (... named port of destination) <i>Not used in Incoterms 2010</i>	<b>DES</b>	Delivered Ex Ship (... named port of destination) <i>Not used in Incoterms 2010</i>	<b>EXW</b>	Ex Works (... named place)	<b>FAS</b>	Free Along Ship (... named port of shipment)	<b>FCA</b>	Free Carrier (... named place)	<b>FOB</b>	Free On Board (... named port of shipment)	<b>HLS</b>	Retrieved loaded at vendors site	<b>HOS</b>	Retrieved unloaded at vendors site	<b>LIK</b>	Delivered brought in at buyers site	<b>LLK</b>	Delivered loaded at buyers site	<b>LOK</b>	Delivered unloaded at buyers site
Code/Description																														
<b>DDP</b>	Delivered Duty Paid (... named place of destination)																													
<b>DDU</b>	Delivered Duty Unpaid (... named place of destination) <i>Not used in Incoterms 2010</i>																													
<b>DEQ</b>	Delivered Ex Quay (Duty paid) (... named port of destination) <i>Not used in Incoterms 2010</i>																													
<b>DES</b>	Delivered Ex Ship (... named port of destination) <i>Not used in Incoterms 2010</i>																													
<b>EXW</b>	Ex Works (... named place)																													
<b>FAS</b>	Free Along Ship (... named port of shipment)																													
<b>FCA</b>	Free Carrier (... named place)																													
<b>FOB</b>	Free On Board (... named port of shipment)																													
<b>HLS</b>	Retrieved loaded at vendors site																													
<b>HOS</b>	Retrieved unloaded at vendors site																													
<b>LIK</b>	Delivered brought in at buyers site																													
<b>LLK</b>	Delivered loaded at buyers site																													
<b>LOK</b>	Delivered unloaded at buyers site																													
— <b>IncotermsVersion</b>	O	0..1	Type: sddb:IncotermsVersion Length: 0 .. 3 Format: sddb:IncotermsVersion Name: <b>Incoterms version</b> Example: Z10 <table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr> <td><b>Z00</b></td> <td>Incoterms 2000</td> </tr> <tr> <td><b>Z10</b></td> <td>Incoterms 2010</td> </tr> </tbody> </table>	Code/Description	<b>Z00</b>	Incoterms 2000	<b>Z10</b>	Incoterms 2010																						
Code/Description																														
<b>Z00</b>	Incoterms 2000																													
<b>Z10</b>	Incoterms 2010																													
— <b>DeliveryPlaceTerms</b>	O	0..1	Type: sddb:DeliveryPlaceTerms Length: 0 .. 70 Format: sddb:String70 Name: <b>Place of delivery</b> Example: Ystad																											
<b>Allowance</b>	O	0..unbounded	Type: sddb:Allowance Name: <b>Allowance/discount,</b>																											
— <b>xs:sequence</b>	M	1..1																												
— <b>SpecialServiceDescriptionCode</b>	M	1..1	Type: sddb:SpecialServiceDescriptionCode Format: sddb:SpecialServiceDescriptionCode Name: <b>Allowance and charge code</b> Example: DI <table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr> <td><b>DI</b></td> <td>Discount</td> </tr> </tbody> </table>	Code/Description	<b>DI</b>	Discount																								
Code/Description																														
<b>DI</b>	Discount																													

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			<p>Code/Description</p> <p><b>PAD</b> A reduction from a usual or list price. Promotional allowance Description to be provided.</p> <p><b>ZBP</b> Bonus last year</p> <p><b>ZBS</b> Bonus</p> <p><b>ZCL</b> Claim</p>
SpecialServiceDescription	O	0..1	<p>Type: sddb:SpecialServiceDescription</p> <p>Length: 0 .. 35</p> <p>Format: sddb:String35</p> <p>Name: <b>Description of special service</b></p> <p>Example: Extra rabatt</p> <p style="text-align: right;"><i>Element</i></p>
Percentage	O	0..1	<p>Type: sddb:Percentage</p> <p>FractionDigits: 4</p> <p>TotalDigits: 6</p> <p>Format: sddb:Integer6Dec4</p> <p>Name: <b>Percentage</b></p> <p>Example: 3.000</p> <p style="text-align: right;">TotalDigits: 6 <i>Element</i></p>
BaseAmount	O	0..1	<p>Type: sddb:BaseAmount</p> <p>FractionDigits: 4</p> <p>TotalDigits: 15</p> <p>Format: sddb:Integer15Dec4</p> <p>Name: <b>Allowance/charge basis amount</b></p> <p>Example: 35.00</p> <p style="text-align: right;">TotalDigits: 15 <i>Element</i></p>
AmountNeB	M	1..1	<p>Type: sddb:AmountNeB</p> <p>FractionDigits: 4</p> <p>TotalDigits: 15</p> <p>Format: sddb:Integer15Dec4</p> <p>Name: <b>Allowance/charge amount</b></p> <p>Example: 50.00</p> <p style="text-align: right;">TotalDigits: 15 <i>Element</i></p>
Tax	O	0..1	<p>Type: sddb:Tax</p> <p>Name: <b>TAX Handling</b></p> <p style="text-align: right;"><i>Element</i></p>
xs:sequence	M	1..1	<p>Type:</p> <p style="text-align: right;"><i>ContentModel</i></p>
TaxBaseTypeNeB	M	1..1	<p>Type: sddb:TaxBaseType_NeB</p> <p>Length: .. 3</p> <p>Format: sddb:TaxBaseType_NeB</p> <p>Name: <b>Duty/tax/fee type, coded</b></p> <p>Example: VAT</p> <p style="text-align: right;"><i>Element</i></p>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			<p><b>Code/Description</b></p> <p><b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up.</p> <p><b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle.</p>
TaxCategoryNeBType	M	1..1	<p>Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S</p> <p><b>Code/Description</b></p> <p><b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112//EC</p> <p><b>E</b> Exempt from tax Code specifying that taxes are not applicable.</p> <p><b>S</b> Standard rate Code specifying the standard rate.</p> <p><b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate.</p>
VATRate	M	1..1	<p>Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25</p> <p>TotalDigits: 6</p>
TaxAmount	O	0..1	<p>Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Tax amount</b> Example: 3725.00</p> <p>TotalDigits: 18</p>
Charge	O	0..unbounded	<p>Type: sddb:Charge Name: <b>Charge</b></p>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
SpecialServiceDescriptionCode	M	1..1	<p>Type: sddb:SpecialServiceDescriptionCode Format: sddb:SpecialServiceDescriptionCode Name: <b>Allowance and charge code</b></p>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Example: FC Code/Description <b>ABK</b> Miscellaneous Miscellaneous services. <b>ACO</b> Alloy surcharge Additional charge on an item's price for alloy. <b>ADB</b> Drum deposit Deposit paid on a returnable drum. <b>AEV</b> Environmental protection service The provision of an environmental protection service. <b>FC</b> Freight service The service of moving goods, by whatever means, from one place to another. <b>IN</b> Insurance Charge for insurance. <b>NAA</b> Non-returnable containers The service of providing non-returnable containers. <b>RAD</b> Returnable container The service of providing returnable containers. <b>RCH</b> Charge for return of goods <b>SZ</b> Steel surcharge Description to be provided.
— <b>SpecialServiceDescription</b>	O	0..1	Type: sddb:SpecialServiceDescription Length: 0 .. 35 Format: sddb:String35 Name: <b>Description of special service</b> Example: Frakt inkl. broavgift
— <b>Percentage</b>	O	0..1	Type: sddb:Percentage FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Percentage</b> Example: 3.000 3,000
— <b>BaseAmount</b>	O	0..1	Type: sddb:BaseAmount FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge basis amount</b> Example: 35.00

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
AmountNeB	M	1..1	Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00	TotalDigits: 15 <i>Element</i>
Tax	O	0..1	Type: sddb:Tax Name: <b>TAX Handling</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
TaxBaseTypeNeB	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> Example: VAT Code/Description	<i>Element</i>
			<b>ENV</b>	Environmental tax Tax assessed for funding or assuring environmental protection or clean-up.
			<b>VAT</b>	Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle.
TaxCategoryNeBType	M	1..1	Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S Code/Description	<i>Element</i>
			<b>AAP</b>	VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112/EC
			<b>E</b>	Exempt from tax Code specifying that taxes are not applicable.
			<b>S</b>	Standard rate Code specifying the standard rate.
			<b>Z</b>	Zero rated goods Code specifying that the goods are at a zero rate.
VATRate	M	1..1	Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4	TotalDigits: 6 <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
TaxAmount	O	0..1	Name: <b>VAT rate</b> Example: 25 Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4	<b>Element</b>
InvoiceLine	O	0..unbounded	Name: <b>Tax amount</b> Example: 3725.00 Type: InvoiceLine Description: <a href="#">The following elements occur once per item being ordered</a>	<b>Element</b>
xs:sequence	M	1..1	Name: <b>Invoice line</b> Type:	<b>ContentModel</b>
LineNumber	M	1..1	Type: sddb:LineNumber FractionDigits: 0 TotalDigits: 6 Format: sddb:Integer6 Description: <a href="#">Sequence number of the lines within this order transaction.</a>	<b>Element</b>
ActualDeliveryDate	O	0..1	Name: <b>Line number</b> Example: 0001 Type: sddb:ActualDeliveryDate Pattern: \d{8} Format: sddb:Date	<b>Element</b>
DeliveryPeriodStartDate	O	0..1	Name: <b>Actual delivery date</b> Example: 20150601 Type: sddb:DeliveryPeriodStartDate Pattern: \d{8} Format: sddb:Date	<b>Element</b>
DeliveryPeriodEndDate	O	0..1	Name: <b>Delivery period, start date</b> Example: 20150601 Type: sddb:DeliveryPeriodEndDate Pattern: \d{8} Format: sddb:Date	<b>Element</b>
DeliveryDateEarliest	O	0..1	Name: <b>Delivery period, end date</b> Example: 20150601 Type: sddb:DeliveryDateEarliest Length: 1 .. 14 Format: sddb:DeliveryDateEarliest	<b>Element</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
— DeliveryDateLatest	O	0..1	Name: <b>Earliest delivery date</b> Example: 20150601 Type: sddb:DeliveryDateLatest Length: 1 .. 14 Format: sddb:DeliveryDateLatest	<i>Element</i>
— RentalPeriodStartDate	O	0..1	Name: <b>Latest delivery date</b> Example: 20150601 Type: sddb:RentalPeriodStartDate Length: 1 .. 14 Format: sddb:RentalPeriodStartDate	<i>Element</i>
— RentalPeriodEndDate	O	0..1	Name: <b>Rental period start date</b> Remark: Motsvarar kod 158 Horizon start date i edifact Example: 20150601 Type: sddb:RentalPeriodEndDate Length: 1 .. 14 Format: sddb:RentalPeriodEndDate	<i>Element</i>
— CountryOfOrigin	O	0..1	Name: <b>Rental period end date</b> Remark: Motsvarar kod 159 Horizon end date i edifact Example: 20150601 Type: sddb:CountryOfOrigin Format: sddb:String3_	<i>Element</i>
— ReasonForCreditingNeBType	O	0..1	Name: <b>Country of origin</b> Example: SWE Type: sddb:ReasonForCreditingNeBType Format: sddb:ReasonForCreditingNeBType	<i>Element</i>
			Name: <b>Reason for crediting</b> Example: 79E Code/Description	
			<b>108</b> Financial compensation	
			<b>140</b> <a href="#">Financial compensation</a>	
			<b>79E</b> Return of goods	
			<b>Z01</b> <a href="#">Return of goods</a>	
			<b>79E</b> Error in delivery	
			<b>Z01</b> <a href="#">Error in delivery</a>	
			<b>Z01</b> Damaged goods	
			<b>Z01</b> <a href="#">Damaged goods</a>	
— NatureTransaction	O	0..1	Type: sddb:NatureTransaction Length: 0 .. 3	<i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:NatureTransaction Name: <b>Nature of transaction</b> Example: Z02 <b>Code/Description</b> <b>141</b> Subject to annual bonus Item concerned is applicable for annual bonus calculation. <b>202</b> No Bonus <b>203</b> No Bonus <b>204</b> Bonus building Bonus building <b>205</b> Bonus giving Bonus giving Bonus building and giving Bonus building and giving
LinItemGrossAmount	O	0..1	Type: sddb:LinItemGrossAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Line item gross amount</b> Example: 3320 TotalDigits: 18 <b>Element</b>
LinItemNetAmount	M	1..1	Type: sddb:LinItemNetAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Line item net amount</b> Example: 2656.00 TotalDigits: 18 <b>Element</b>
ArticleIdentifiers	M	1..1	Type: sddb:ArticleIdentifiers Name: <b>Identification, article number</b> <b>Element</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
GlobalTradeItemNumber	O	0..1	Type: sddb:GlobalTradeItemNumber Pattern: \d{14} Format: sddb:GTIN Name: <b>Global Trade Item Number(GS1)</b> Example: 07391753017388 <b>Element</b>
SuppliersArticleNumber	O	0..1	Type: sddb:SuppliersArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Supplier's article number</b> <b>Element</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
BuyersPartArticleNumber	O	0..1	Example: 10038-00 360012 Type: sddb:BuyersPartArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Buyers's article number</b> Example: 45001	<i>Element</i>
NOBBArticleNumber	O	0..1	Type: sddb:NOBBArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>NOBB article number</b> Example: 23717986	<i>Element</i>
TUNArticleNumber	O	0..1	Type: sddb:TUNArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>TUN article number</b> Example: 654258971	<i>Element</i>
FinfoVilmaArticleNumber	O	0..1	Type: sddb:FinfoVilmaArticleNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Finfo/Vilma article number</b> Example: 002552559	<i>Element</i>
RSKArticleNumberNorwegian	O	0..1	Type: sddb:RSKArticleNumberNorwegian Length: 0 .. 10 Format: sddb:String10 Name: <b>Norsk Rørgrossistforeningens article number</b> Example: 123456789	<i>Element</i>
RSKArticleNumberSweden	O	0..1	Type: sddb:RSKArticleNumberSweden FractionDigits: 0 TotalDigits: 7 Format: sddb:Integer7 Name: <b>RSK article number</b> Example: 5651112	<i>Element</i> TotalDigits: 7
EnumberNorwegian	O	0..1	Type: sddb:EnumberNorwegian FractionDigits: 0 TotalDigits: 10 Format: sddb:Integer10 Name: <b>Electrical Wholsalers Norway, article number</b>	<i>Element</i> TotalDigits: 10

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
ENumber	O	0..1	Example: 46552358 Type: sddb:ENumber Length: 0 .. 10 Format: sddb:String10 Name: <b>E number</b> Example: 32314568	<i>Element</i>
UNSPSC	O	0..1	Type: sddb:UNSPSC Length: 0 .. 35 Format: sddb:String35 Name: <b>UNSPSC classification system</b> Example: 18040010	<i>Element</i>
HarmonizedSystemCode	O	0..1	Type: sddb:HarmonizedSystemCode Length: 0 .. 35 Format: sddb:String35 Name: <b>Harmonized system code</b> Example: 112233	<i>Element</i>
ArticleDescription	O	0..1	Type: sddb:ArticleDescription Length: 0 .. 350 Format: sddb:String350 Name: <b>Article description</b> Example: Huggmejsel 95 250x28 mm	<i>Element</i>
PackageLevelType	O	0..1	Type: sddb:PackageLevelType Length: 0 .. 3 Format: sddb:PackageLevelType Name: <b>Package level code</b> Example: TU Code/Description	<i>Element</i>
ConfigurationValue	O	0..1	Type: sddb:ConfigurationValue Length: 0 .. 500 Format: sddb:String500 Name: <b>Configuration value</b> Example: #-400-300-1250-2010-0-0-0-2-2-GALV-0.7-1-1-0-V017552	<i>Element</i>
VilmaBK04IndustryStatistics	O	0..1	Type: sddb:VilmaBK04IndustryStatistics Length: 0 .. 5 Format: sddb:String5	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Name: <b>Vilma BK04 Industry Statistics</b> Example: 12345	
Quantities	M	1..1	Type: sddb:Quantities	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Quantities</b> Type:	<i>ContentModel</i>
InvoicedQuantityNeB	M	1..1	Type: sddb:InvoicedQuantityNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Invoiced quantity group</b> Type:	<i>ContentModel</i>
InvoicedQuantity	M	1..1	Type: sddb:InvoicedQuantity FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity	TotalDigits: 15 <i>Element</i>
MeasureUnitNeBType	M	1..1	Name: <b>Invoiced quantity</b> Example: 10 Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType	<i>Element</i>
			Name: <b>Measurement unit code</b>	
			Code/Description	
			CMT	centimetre
			DAY	day
			DD	degree
			EA	each
			GRM	gram
			GWH	gigawatt hour
			HUR	hour
			KGM	kilogram
			KTM	kilometre
			KWH	kilowatt hour
			KWT	kilowatt
			LTR	litre
			MAW	megawatt
			MGM	milligram
			MIN	minute
			MLT	millilitre
			MON	month
			MTK	square metre
			MTQ	cubic metre

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations																													
			<table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr><td>MTR</td><td>metre</td></tr> <tr><td>MWH</td><td>megawatt hour (1000 kW.h)</td></tr> <tr><td>PCE</td><td>Piece</td></tr> <tr><td>PI</td><td>pipe</td></tr> <tr><td>PK</td><td>package</td></tr> <tr><td>RL</td><td>reel</td></tr> <tr><td>RO</td><td>roll</td></tr> <tr><td>SEC</td><td>second</td></tr> <tr><td>TC</td><td>truckload</td></tr> <tr><td>TNE</td><td>tonne (metric ton)</td></tr> <tr><td>TU</td><td>tube</td></tr> <tr><td>ZCK</td><td>Cubic kilometre</td></tr> <tr><td>ZKH</td><td>öre/kwh</td></tr> <tr><td>ZTK</td><td>Tonkilometre</td></tr> </tbody> </table>	Code/Description	MTR	metre	MWH	megawatt hour (1000 kW.h)	PCE	Piece	PI	pipe	PK	package	RL	reel	RO	roll	SEC	second	TC	truckload	TNE	tonne (metric ton)	TU	tube	ZCK	Cubic kilometre	ZKH	öre/kwh	ZTK	Tonkilometre
Code/Description																																
MTR	metre																															
MWH	megawatt hour (1000 kW.h)																															
PCE	Piece																															
PI	pipe																															
PK	package																															
RL	reel																															
RO	roll																															
SEC	second																															
TC	truckload																															
TNE	tonne (metric ton)																															
TU	tube																															
ZCK	Cubic kilometre																															
ZKH	öre/kwh																															
ZTK	Tonkilometre																															
<b>DeliveredQuantityNeB</b>	O	0..1	Type: sddb:DeliveredQuantityNeB Name: <b>Delivered quantity group</b> <i>Element</i>																													
<b>xs:sequence</b>	M	1..1	Type: <i>ContentModel</i>																													
<b>DeliveredQuantity</b>	O	0..1	Type: sddb:DeliveredQuantity FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity Name: <b>Delivered quantity</b> Example: 14,5 10 TotalDigits: 15 <i>Element</i>																													
<b>MeasureUnitNeBType</b>	O	0..1	Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> <table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr><td>CMT</td><td>centimetre</td></tr> <tr><td>DAY</td><td>day</td></tr> <tr><td>DD</td><td>degree</td></tr> <tr><td>EA</td><td>each</td></tr> <tr><td>GRM</td><td>gram</td></tr> <tr><td>GWH</td><td>gigawatt hour</td></tr> <tr><td>HUR</td><td>hour</td></tr> <tr><td>KGM</td><td>kilogram</td></tr> <tr><td>KTM</td><td>kilometre</td></tr> </tbody> </table>	Code/Description	CMT	centimetre	DAY	day	DD	degree	EA	each	GRM	gram	GWH	gigawatt hour	HUR	hour	KGM	kilogram	KTM	kilometre										
Code/Description																																
CMT	centimetre																															
DAY	day																															
DD	degree																															
EA	each																															
GRM	gram																															
GWH	gigawatt hour																															
HUR	hour																															
KGM	kilogram																															
KTM	kilometre																															

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations																																																		
			<table border="1"> <thead> <tr> <th>Code/Description</th> <th></th> </tr> </thead> <tbody> <tr><td>KWH</td><td>kilowatt hour</td></tr> <tr><td>KWT</td><td>kilowatt</td></tr> <tr><td>LTR</td><td>litre</td></tr> <tr><td>MAW</td><td>megawatt</td></tr> <tr><td>MGM</td><td>milligram</td></tr> <tr><td>MIN</td><td>minute</td></tr> <tr><td>MLT</td><td>millilitre</td></tr> <tr><td>MON</td><td>month</td></tr> <tr><td>MTK</td><td>square metre</td></tr> <tr><td>MTQ</td><td>cubic metre</td></tr> <tr><td>MTR</td><td>metre</td></tr> <tr><td>MWH</td><td>megawatt hour (1000 kW.h)</td></tr> <tr><td>PCE</td><td>Piece</td></tr> <tr><td>PI</td><td>pipe</td></tr> <tr><td>PK</td><td>package</td></tr> <tr><td>RL</td><td>reel</td></tr> <tr><td>RO</td><td>roll</td></tr> <tr><td>SEC</td><td>second</td></tr> <tr><td>TC</td><td>truckload</td></tr> <tr><td>TNE</td><td>tonne (metric ton)</td></tr> <tr><td>TU</td><td>tube</td></tr> <tr><td>ZCK</td><td>Cubic kilometre</td></tr> <tr><td>ZKH</td><td>öre/kwh</td></tr> <tr><td>ZTK</td><td>Tonkilometre</td></tr> </tbody> </table>	Code/Description		KWH	kilowatt hour	KWT	kilowatt	LTR	litre	MAW	megawatt	MGM	milligram	MIN	minute	MLT	millilitre	MON	month	MTK	square metre	MTQ	cubic metre	MTR	metre	MWH	megawatt hour (1000 kW.h)	PCE	Piece	PI	pipe	PK	package	RL	reel	RO	roll	SEC	second	TC	truckload	TNE	tonne (metric ton)	TU	tube	ZCK	Cubic kilometre	ZKH	öre/kwh	ZTK	Tonkilometre
Code/Description																																																					
KWH	kilowatt hour																																																				
KWT	kilowatt																																																				
LTR	litre																																																				
MAW	megawatt																																																				
MGM	milligram																																																				
MIN	minute																																																				
MLT	millilitre																																																				
MON	month																																																				
MTK	square metre																																																				
MTQ	cubic metre																																																				
MTR	metre																																																				
MWH	megawatt hour (1000 kW.h)																																																				
PCE	Piece																																																				
PI	pipe																																																				
PK	package																																																				
RL	reel																																																				
RO	roll																																																				
SEC	second																																																				
TC	truckload																																																				
TNE	tonne (metric ton)																																																				
TU	tube																																																				
ZCK	Cubic kilometre																																																				
ZKH	öre/kwh																																																				
ZTK	Tonkilometre																																																				
Text	O	0..1	Type: sddb:Text Name: <b>Free Text/information</b> <i>Element</i>																																																		
xs:sequence	M	1..1	Type: <i>ContentModel</i>																																																		
LinItemInformation	O	0..1	Type: sddb:LinItemInformation Length: 0 .. 512 Format: sddb:String512 Name: <b>Line item information</b> Example: Obs Röda hantag <i>Element</i>																																																		
ProductInformation	O	0..1	Type: sddb:ProductInformation Length: 0 .. 512 Format: sddb:String512 Name: <b>Product information</b> Example: Utökad garanti <i>Element</i>																																																		

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
GoodsDescription	O	0..1	Type: sddb:GoodsDescription Length: 0 .. 70 Format: sddb:String70 Name: <b>Goods description</b> Example: Pumpar	<i>Element</i>
LanguageCode	O	0..1	Type: sddb:LanguageCode Length: 0 .. 3 Format: sddb:String3 Name: <b>Language code</b> Example: SE	<i>Element</i>
GoodsIdentityNumber	O	0..1	Type: sddb:GoodsIdentityNumber Name: <b>Goods identity number</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
SerialNumber	O	0..1	Type: sddb:SerialNumber Length: 0 .. 20 Format: sddb:String20 Name: <b>Serial number</b> Remark: Observera att det är tillåtet med alfanumeriska tecken men att vissa branscher, tex läkemedelsbranschen, rekommenderar enbart numeriska tecken.  Förslag till kommentarstext: Används då köparen behöver hantera individer av en artikel. (För ESAP 6: Termen har tillkommit för att harmoniserad med ESAP 20.) Affärskrav finns att vid leveranser av viss sjukvårdsutrustning behöver mottagaren registrera en artikels unika identitet, tex medicinsk tekniska instrument, viss typ av läkemedel. Behovet finns ofta i kombination med underhållsavtal av artikeln. I kombination med GTIN dvs GTIN plus T1326 blir det ett SGTIN, dvs serialiserat GTIN.  Example: AB-4645646ADH987	<i>Element</i>
VehicleIdentityNumber	O	0..1	Type: sddb:VehicleIdentityNumber Length: 0 .. 35 Format: sddb:String35 Name: <b>Vehicle identity number</b> Example: XML123	<i>Element</i>
PriceNeb	M	1..1	Type: sddb:PriceNeb Name: <b>Price</b>	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PriceAmount	M	1..1	Type: sddb:PriceAmount FractionDigits: 4 TotalDigits: 15	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
PriceCode	M	1..1	Format: sddb:Integer15Dec4 Name: <b>Price amount</b> Example: 150.00 Type: sddb:PriceCode Length: 0 .. 3 Format: sddb:PriceCode Name: <b>Price code qualifier</b> Example: AAA Code/Description <b>AAA</b> Calculation net <b>AAB</b> Calculation gross <i>Element</i>
PriceTypeCode	O	0..1	Type: sddb:PriceTypeCode Length: 0 .. 3 Format: sddb:PriceTypeCode Name: <b>Price type code</b> Example: CA Code/Description <b>CA</b> Catalogue Code specifying the catalogue price. <b>CT</b> Contract Code specifying the contract price. <i>Element</i>
PriceSpecificationCode	O	0..1	Type: sddb:PriceSpecificationCode Length: 0 .. 3 Format: sddb:PriceSpecificationCode Name: <b>Price specification code</b> Example: CON Code/Description <b>CON</b> Contract price Price per unit of quantity of a product/service as agreed in a contract between parties. <b>NC</b> Without price <b>PRP</b> Promotional price The value that is placed on an item that is being developed. The idea is to sell this product for less than one normally would, and make up for it by selling a larger quantity. <i>Element</i>
PriceUnitBasisQuantity	O	0..1	Type: sddb:PriceUnitBasisQuantity FractionDigits: 0 TotalDigits: 4 Format: sddb:PriceUnitBasisQuantity TotalDigits: 4 <i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Name: <b>Price unit basis quantity</b> Example: 1 Code/Description <b>1</b> Prs per st <b>100</b> Prs per 100 <b>1000</b> Prs per 1000
MeasureUnitNeBType	O	0..1	Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description <b>AMP</b> ampere <b>CMT</b> centimetre <b>DAY</b> day <b>DD</b> degree <b>EA</b> each <b>GRM</b> gram <b>GWH</b> gigawatt hour <b>HUR</b> hour <b>KGM</b> kilogram <b>KTM</b> kilometre <b>KWH</b> kilowatt hour <b>KWT</b> kilowatt <b>LTR</b> litre <b>MAW</b> megawatt <b>MGM</b> milligram <b>MIN</b> minute <b>MLT</b> millilitre <b>MON</b> month <b>MTK</b> square metre <b>MTQ</b> cubic metre <b>MTR</b> metre <b>MWH</b> megawatt hour (1000 kW.h) <b>PCE</b> Piece <b>PI</b> pipe <b>PK</b> package <b>RL</b> reel <b>RO</b> roll <b>SEC</b> second

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations				
			<table border="1"> <thead> <tr> <th>Code/Description</th> </tr> </thead> <tbody> <tr> <td><b>TNE</b> tonne (metric ton)</td> </tr> <tr> <td><b>ZCK</b> Cubic kilometre</td> </tr> <tr> <td><b>ZTK</b> Tonkilometre</td> </tr> </tbody> </table>	Code/Description	<b>TNE</b> tonne (metric ton)	<b>ZCK</b> Cubic kilometre	<b>ZTK</b> Tonkilometre
Code/Description							
<b>TNE</b> tonne (metric ton)							
<b>ZCK</b> Cubic kilometre							
<b>ZTK</b> Tonkilometre							
ReferenceToDocument	O	0..1	Type: sddb:ReferenceToDocument Name: <b>Document references</b> <i>Element</i>				
xs:sequence	M	1..1	Type: <i>ContentModel</i>				
OrderNumber	O	0..1	Type: sddb:OrderNumber Length: 0 .. 17 Format: sddb:String17 Name: <b>Order number</b> Example: 2123456 456218 <i>Element</i>				
ReferenceToOrderLine	O	0..1	Type: sddb:ReferenceToOrderLine FractionDigits: 0 TotalDigits: 6 TotalDigits: 6 Format: sddb:Integer6 Name: <b>Reference to order line</b> Example: 05 <i>Element</i>				
ProjectNumber	O	0..1	Type: sddb:ProjectNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Project number</b> Example: 6411-001 <i>Element</i>				
DespatchAdviceNumberNeb	O	0..1	Type: sddb:DespatchAdviceNumberNeb Length: 0 .. 70 Format: sddb:String70 Name: <b>Despatch advice number</b> Example: 454566 <i>Element</i>				
CustomerReferenceNumber	O	0..1	Type: sddb:CustomerReferenceNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Customers reference/number</b> Example: 512345 <i>Element</i>				
VendorOrderNumber	O	0..1	Type: sddb:VendorOrderNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Vendors order number</b> <i>Element</i>				

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
ReferenceToInvoice	O	0..1	Example: 45462 Type: sddb:ReferenceToInvoice Length: 0 .. 17 Format: sddb:String17 Description: <a href="#">Used in consolidated invoice.</a> Name: <b>Reference to invoice</b> Example: 913584	<i>Element</i>
ReferenceToCreditNote	O	0..1	Type: sddb:ReferenceToCreditNote Length: 0 .. 17 Format: sddb:String17 Description: <a href="#">Used in consolidated invoice.</a> Name: <b>Reference to credit note</b> Example: 9125654	<i>Element</i>
OfferNumber	O	0..1	Type: sddb:OfferNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Offer number</b> Example: 154625	<i>Element</i>
AccountNumber	O	0..1	Type: sddb:AccountNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Account number</b> Example: 3711	<i>Element</i>
AccountGroupNumber	O	0..1	Type: sddb:AccountGroupNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Group Account number</b> Remark: Specifik märkningsinfo som köparen har angett till leverantör och som leverantör skall sända tillbaka i fakturan Example: 52	<i>Element</i>
ReferenceToAgreementOrContract	O	0..1	Type: sddb:ReferenceToAgreementOrContract Length: 0 .. 35 Format: sddb:String35 Description: <a href="#">Used in consolidated invoice.</a> Name: <b>Reference to agreement or contract</b> Example: 2012-012	<i>Element</i>
UltimateCustomerReferenceNumber	O	0..1	Type: sddb:UltimateCustomerReferenceNumber	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Length: 0 .. 70 Format: sddb:String70 Name: <b>Ultimate customers referens number</b> Example: 5648054	
UltimateCustomerOrderNumber	O	0..1	Type: sddb:UltimateCustomerOrderNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Ultimate customers order number</b> Example: 5648054	<i>Element</i>
MaterialTicketReference	O	0..1	Type: sddb:MaterialTicketReference Length: 0 .. 17 Format: sddb:String17 Name: <b>Material ticket reference</b>	<i>Element</i>
FreightForwarderReferensNumber	O	0..1	Type: sddb:FreightForwarderReferensNumber Length: 0 .. 70 Format: sddb:String70 Name: <b>Reference for freight forwarders number</b> Example: 177301432023	<i>Element</i>
ExternalObjectReference	O	0..unbounded	Type: sddb:ExternalObjectReference Length: 0 .. 70 Format: sddb:String70 Name: <b>External object reference</b> Example: 10373_10549-37804109-IMAGE-D.pdf	<i>Element</i>
OrderReceiptReference	O	0..1	Type: sddb:OrderReceiptReference Length: 0 .. 70 Format: sddb:String70 Name: <b>Order receipt reference</b> Example: 456456	<i>Element</i>
ReferenceToOrderReceiptLine	O	0..1	Type: sddb:ReferenceToOrderReceiptLine FractionDigits: 0 TotalDigits: 6 Format: sddb:Integer6 Name: <b>Reference to order receipt line</b> Example: 0001	<i>Element</i> TotalDigits: 6
BuyerNeB	O	0..1	Type: sddb:BuyerNeB Description: <a href="#">Used in consolidated invoice.</a> Name: <b>Buyer</b>	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>BuyersContactNeB</b>	O	0..1	Type: sddb:BuyerContactNeB Name: <b>Buyer's contact</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>Name</b>	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Karl Svensson Karl Svensson	<i>Element</i>
<b>PhoneNumber</b>	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: +46410341234 +46410341234	<i>Element</i>
<b>EmailAddress</b>	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: karl.svensson@skoogs.se karl.svensson@skoogs.se	<i>Element</i>
<b>ID06</b>	O	0..1	Type: sddb:ID06 Length: 0 .. 35 Format: sddb:String35 Name: <b>Identification code ID06</b> Example: BB-0711-123456 karl.svensson@skoogs.se	<i>Element</i>
<b>Tax</b>	O	0..1	Type: sddb:Tax Name: <b>TAX Handling</b>	<i>Element</i>
<b>xs:sequence</b>	M	1..1	Type:	<i>ContentModel</i>
<b>TaxBaseTypeNeB</b>	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> Example: VAT	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			<p><b>Code/Description</b></p> <p><b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up.</p> <p><b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle.</p>
— TaxCategoryNeBType	M	1..1	<p>Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S</p> <p><b>Code/Description</b></p> <p><b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112//EC</p> <p><b>E</b> Exempt from tax Code specifying that taxes are not applicable.</p> <p><b>S</b> Standard rate Code specifying the standard rate.</p> <p><b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate.</p>
— VATRate	M	1..1	<p>Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25</p> <p>TotalDigits: 6</p>
— TaxAmount	O	0..1	<p>Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Tax amount</b> Example: 3725.00</p> <p>TotalDigits: 18</p>
— ShipFromNeB	O	0..1	<p>Type: sddb:ShipFromNeB Name: <b>Ship from</b></p>
— xs:sequence	M	1..1	Type: sddb:Shipper
— Shipper	O	0..1	<p>Type: sddb:Shipper Pattern: \d{13} Format: sddb:GLN</p>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Name: <b>Shipper</b> Example: 7381030000099	
Address_NeB	O	0..1	Type: sddb:AddressNeB	<i>Element</i>
xs:sequence	M	1..1	Name: <b>Id number/Name and address</b> Type:	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
PartyName	O	0..1	Name: <b>Partner Identifier</b> Example: 7666558 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName	<i>Element</i>
StreetName	O	0..1	Name: <b>Party name</b> Example: Plast AB Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName	<i>Element</i>
Building	O	0..1	Name: <b>Street name</b> Example: Strandgatan 12 Type: sddb:Building Length: 0 .. 35 Format: sddb:Building	<i>Element</i>
CityName	O	0..1	Name: <b>Building</b> Example: C Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName	<i>Element</i>
PostalCodeNeB	O	0..1	Name: <b>City name</b> Example: Sölvesborg Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17	<i>Element</i>
CountryCode	O	0..1	Name: <b>Postal code</b> Example: 25922 Type: sddb:CountryCode Length: .. 3	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE
ShipFromContact	O	0..1	Type: sddb:ShipFromContact Name: <b>Ship from contact</b> Example: Per Norman
xs:sequence	M	1..1	Type: <b>ContentModel</b>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: <b>Name</b> Example: Ola Norman
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: +4681234567
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: ola.norman@plast.se
ShipToNeB	O	0..1	Type: sddb:ShipToNeB Name: <b>Ship To</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
ShipTo	O	0..1	Type: sddb:ShipTo Pattern: \d{13} Format: sddb:GLN Name: <b>Ship to</b> Example: 7381030000035
AddressNeB	O	0..1	Type: sddb:AddressNeB Name: <b>Id number/Name and address</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: <b>Partner Identifier</b>

St = Status: M=Mandatory, O=Optional



# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
PartyName	O	0..1	Example: 7651235 Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: <b>Party name</b> Example: Skoogs AB	<i>Element</i>
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: <b>Street name</b> Example: Filialvägen 21	<i>Element</i>
Building	O	0..1	Type: sddb:Building Length: 0 .. 35 Format: sddb:Building Name: <b>Building</b> Example: A	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: <b>City name</b> Example: Tstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: <b>Postal code</b> Example: 12567	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: <b>Country, coded</b> Example: SE	<i>Element</i>
ShipToContact	O	0..1	Type: sddb:ShipToContact Name: <b>Ship to contact</b> Example: Karl Svensson	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:String35 Name: <b>Name</b> Example: Karl Svensson
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: <b>Phone number</b> Example: 08-7851590
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: <b>Email address</b> Example: karl.svensson@skoogs.se
Measurments	O	0..unbounded	Type: sddb:Measurments Name: <b>Measurement</b>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
MeasuredPurposeCode	O	0..1	Type: sddb:MeasuredPurposeCode Length: 0 .. 3 Format: sddb:MeasuredPurposeCode Name: <b>Measured purpose code</b> Example: PD WT
			<b>Code/Description</b> <b>PD</b> Physical dimensions (product ordered) Specified measurement dimensions refer to physical dimensions of a product, material or package. <b>VOL</b> Volume Size or measure of anything in three dimensions. <b>WT</b> Weights
MeasuredAttributeCode	O	0..1	Type: sddb:MeasuredAttributeCode Length: 0 .. 3 Format: sddb:MeasuredAttributeCode Name: <b>Measured attribute</b> Example: AAD AAA
			<b>Code/Description</b> <b>AAA</b> Unit net weight <b>AAC</b> Total net weight

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			<p>Code/Description</p> <p><b>AAJ</b> Total weight of goods excluding packaging.  <b>ABJ</b> Total gross weight  Volume  The amount of air space taken up by the entity identified in the 6311 qualifier.</p>
Measure	O	0..1	<p>Type: sddb:Measure  FractionDigits: 3 TotalDigits: 7  TotalDigits: 7  Format: sddb:Integer7Dec3  Name: <b>Measure</b>  Example: 1420</p>
MeasureUnitNeBType	O	0..1	<p>Type: sddb:MeasureUnitNeBType  Length: .. 3  Format: sddb:MeasureUnitNeBType  Name: <b>Measurement unit code</b></p>
			<p>Code/Description</p> <p><b>KGM</b> kilogram  <b>LTR</b> litre  <b>MTK</b> square metre  <b>MTQ</b> cubic metre  <b>MTR</b> metre  <b>PCE</b> Piece</p>
FreightInfo	O	0..1	<p>Type: sddb:FreightInfo  Name: <b>Freight info</b></p>
xs:sequence	M	1..1	Type: <b>ContentModel</b>
EnvironmentClass	O	0..1	<p>Type: sddb:EnvironmentClass  Length: 0 .. 35  Format: sddb:String35  Name: <b>Environment Class</b>  Example: Euro 5</p>
DriversNumber	O	0..1	<p>Type: sddb:DriversNumber  Length: 0 .. 35  Format: sddb:String35  Name: <b>Drivers number/name</b></p>
Allowance	O	0..unbounded	<p>Type: sddb:Allowance  Name: <b>Allowance/discount,</b></p>
xs:sequence	M	1..1	Type: <b>ContentModel</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
SpecialServiceDescriptionCode	M	1..1	Type: sddb:SpecialServiceDescriptionCode Format: sddb:SpecialServiceDescriptionCode Name: <b>Allowance and charge code</b> Example: DI Code/Description	<i>Element</i>
			<b>DI</b> Discount A reduction from a usual or list price. <b>PAD</b> Promotional allowance Description to be provided. <b>PDE</b> Pallet discount <b>QD</b> Quantity discount Description to be provided. <b>ZBP</b> Bonus last year <b>ZBS</b> Bonus <b>ZCL</b> Claim	
SpecialServiceDescription	O	0..1	Type: sddb:SpecialServiceDescription Length: 0 .. 35 Format: sddb:String35 Name: <b>Description of special service</b> Example: Extra rabatt	<i>Element</i>
StepCalculation	O	0..1	Type: sddb:StepCalculation Length: 0 .. 3 Format: sddb:StepCalculation Name: <b>Step of calculation</b> Example: 1 Code/Description	<i>Element</i>
			<b>1</b> First step of calculation <b>2</b> Second step of calculation <b>3</b> Third step of calculation <b>4</b> Fourth step of calculation	
Percentage	O	0..1	Type: sddb:Percentage FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Percentage</b> Example: 3.000	<i>Element</i>
BaseAmount	O	0..1	Type: sddb:BaseAmount FractionDigits: 4 TotalDigits: 15	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
AmountNeB	M	1..1	Format: sddb:Integer15Dec4 Name: <b>Allowance/charge basis amount</b> Example: 35.00 Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00 Type: sddb:QuantityNeB FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity Name: <b>Quantity</b> Example: 50 Type: sddb:RatePerUnit FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of allowance/charge</b> Example: 2.500 Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description EA each HUR hour KGM kilogram KTM kilometre KWT kilowatt LTR litre MTK square metre MTQ cubic metre MTR metre PCE Piece RL reel RO roll
QuantityNeB	O	0..1	Name: <b>Allowance/charge basis amount</b> Example: 35.00 Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00 Type: sddb:QuantityNeB FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity Name: <b>Quantity</b> Example: 50 Type: sddb:RatePerUnit FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of allowance/charge</b> Example: 2.500 Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description EA each HUR hour KGM kilogram KTM kilometre KWT kilowatt LTR litre MTK square metre MTQ cubic metre MTR metre PCE Piece RL reel RO roll
RatePerUnit	O	0..1	Name: <b>Allowance/charge basis amount</b> Example: 35.00 Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00 Type: sddb:QuantityNeB FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity Name: <b>Quantity</b> Example: 50 Type: sddb:RatePerUnit FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of allowance/charge</b> Example: 2.500 Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description EA each HUR hour KGM kilogram KTM kilometre KWT kilowatt LTR litre MTK square metre MTQ cubic metre MTR metre PCE Piece RL reel RO roll
MeasureUnitNeBType	O	0..1	Name: <b>Allowance/charge basis amount</b> Example: 35.00 Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00 Type: sddb:QuantityNeB FractionDigits: 3 TotalDigits: 15 Format: sddb:Quantity Name: <b>Quantity</b> Example: 50 Type: sddb:RatePerUnit FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of allowance/charge</b> Example: 2.500 Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description EA each HUR hour KGM kilogram KTM kilometre KWT kilowatt LTR litre MTK square metre MTQ cubic metre MTR metre PCE Piece RL reel RO roll

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			<b>Code/Description</b>
			<b>TNE</b> tonne (metric ton)
<b>Tax</b>	O	0..1	Type: sddb:Tax Name: <b>TAX Handling</b> Type: <b>Element</b>
<b>xs:sequence</b>	M	1..1	Type: <b>ContentModel</b>
<b>TaxBaseTypeNeB</b>	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> Example: VAT <b>Code/Description</b> <b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up. <b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle. <b>Element</b>
<b>TaxCategoryNeBType</b>	M	1..1	Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S <b>Code/Description</b> <b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112/EC <b>E</b> Exempt from tax Code specifying that taxes are not applicable. <b>S</b> Standard rate Code specifying the standard rate. <b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate. <b>Element</b>
<b>ExemptionReasonTextNeB</b>	O	0..1	Type: sddb:ExemptionReasonTextNeB Length: 0 .. 512 Format: sddb:String512 Name: <b>Justification for tax exemption, clear text</b> Example: NA <b>Element</b>
<b>VATRate</b>	M	1..1	Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 TotalDigits: 6 <b>Element</b>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25
TaxAmount	O	0..1	Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Tax amount</b> Example: 3725.00 <i>Element</i>
Charge	O	0..unbounded	Type: sddb:Charge Name: <b>Charge</b> <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
SpecialServiceDescriptionCode	M	1..1	Type: sddb:SpecialServiceDescriptionCode Format: sddb:SpecialServiceDescriptionCode Name: <b>Allowance and charge code</b> Example: FC <i>Element</i>
			Code/Description
			ABK Miscellaneous Miscellaneous services.
			ABP Carriage charge Additional charge on an item's price for the carriage.
			Notes: 1. This code value will be removed effective with directory D.05A.
			ACO Alloy surcharge Additional charge on an item's price for alloy.
			ADB Drum deposit Deposit paid on a returnable drum.
			AEV Environmental protection service The provision of an environmental protection service.
			BPE Broken Package charge Broken Package charge
			FC Freight service The service of moving goods, by whatever means, from one place to another.
			IN Insurance Charge for insurance.
			NAA Non-returnable containers

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Code/Description	
			<b>RAD</b> <b>RCH</b> <b>SZ</b>	The service of providing non-returnable containers. Returnable container The service of providing returnable containers. Charge for return of goods Steel surcharge Description to be provided.
SpecialServiceDescription	O	0..1	Type: sddb:SpecialServiceDescription Length: 0 .. 35 Format: sddb:String35 Name: <b>Description of special service</b> Example: Frakt inkl. broavgift	<i>Element</i>
Percentage	O	0..1	Type: sddb:Percentage FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Percentage</b> Example: 3.000 3,000	TotalDigits: 6 <i>Element</i>
BaseAmount	O	0..1	Type: sddb:BaseAmount FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge basis amount</b> Example: 35.00	TotalDigits: 15 <i>Element</i>
AmountNeB	M	1..1	Type: sddb:AmountNeB FractionDigits: 4 TotalDigits: 15 Format: sddb:Integer15Dec4 Name: <b>Allowance/charge amount</b> Example: 50.00	TotalDigits: 15 <i>Element</i>
RatePerUnit	O	0..1	Type: sddb:RatePerUnit FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>Rate of allowance/charge</b> Example: 2.500	TotalDigits: 6 <i>Element</i>
MeasureUnitNeBType	O	0..1	Type: sddb:MeasureUnitNeBType Length: .. 3	<i>Element</i>

St = Status: M=Mandatory, O=Optional



# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:MeasureUnitNeBType Name: <b>Measurement unit code</b> Code/Description <b>EA</b> each <b>HUR</b> hour <b>KGM</b> kilogram <b>KTM</b> kilometre <b>KWT</b> kilowatt <b>LTR</b> litre <b>MTK</b> square metre <b>MTQ</b> cubic metre <b>MTR</b> metre <b>PCE</b> Piece <b>RL</b> reel <b>RO</b> roll <b>TNE</b> tonne (metric ton)
<b>Tax</b>	O	0..1	Type: sddb:Tax Name: <b>TAX Handling</b> <i>Element</i>
<b>xs:sequence</b>	M	1..1	Type: <i>ContentModel</i>
<b>TaxBaseTypeNeB</b>	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> Example: VAT Code/Description <b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up. <b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle. <i>Element</i>
<b>TaxCategoryNeBType</b>	M	1..1	Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S Code/Description <b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112/EC <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
			Code/Description	
			<b>E</b> Exempt from tax Code specifying that taxes are not applicable. <b>S</b> Standard rate Code specifying the standard rate. <b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate.	
ExemptionReasonTextNeB	O	0..1	Type: sddb:ExemptionReasonTextNeB Length: 0 .. 512 Format: sddb:String512 Name: <b>Justification for tax exemption, clear text</b> Example: NA	<i>Element</i>
VATRate	M	1..1	Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25	TotalDigits: 6 <i>Element</i>
TaxAmount	O	0..1	Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Tax amount</b> Example: 3725.00	TotalDigits: 18 <i>Element</i>
PackageTypeGroup	O	0..1	Type: sddb:PackageTypeGroup Description: <b>Group for type and numbers of package.</b> Name: <b>Package type group</b>	<i>Element</i>
xs:sequence	M	1..1	Type: sddb:PackageTypeNeB	<i>ContentModel</i>
PackageTypeNeB	O	0..1	Type: sddb:PackageTypeNeB Length: 0 .. 3 Format: sddb:PackageTypeNeB Name: <b>Package type</b> Example: PX PX	<i>Element</i>
NumberOfPackages	O	0..1	Type: sddb:NumberOfPackages FractionDigits: 0 TotalDigits: 8 Format: sddb:Integer8	TotalDigits: 8 <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			Name: <b>Number of packages</b> Example: 2
GoodsDescription	O	0..1	Type: sddb:GoodsDescription Length: 0 .. 70 Format: sddb:String70 Name: <b>Goods description</b> Example: Pumpar <i>Element</i>
DeliveryOrTransportTerms	O	0..1	Type: sddb:DeliveryOrTransportTerms Name: <b>Delivery method information</b> <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
DeliveryFunctionCode	O	0..1	Type: sddb:DeliveryFunctionCode Length: 0 .. 3 Format: sddb:DeliveryFunctionCode Description: <a href="#">Used in consolidated invoice.</a> Name: <b>Delivery function code</b> Example: 6 <b>Code/Description</b> 4 Collected by customer Indicates that the customer will pick up the goods at the supplier. He will take care of the means of transport. 6 Delivery condition Specifies the conditions under which the goods must be delivered to the consignee. 41 Collected by customer (Phone / Fax Orders) 42 Collected by customer (Collect orders) 61 Delivery conditionr (Phone / Fax Orders) 62 Delivery condition (Collect orders) <i>Element</i>
InvoiceTrailer	M	1..1	Type: InvoiceTrailer Description: <a href="#">The following terms occur once per transaction</a> Name: <b>Invoice trailer</b> <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
ControlTotal-NumberOfLines	M	1..1	Type: sddb:ControlTotal-NumberOfLines FractionDigits: 0 TotalDigits: 6 TotalDigits: 6 Format: sddb:Integer6 Name: <b>Control total - number of lines</b> Example: 5 <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations		
LinelltemTotal	M	1..1	Type: sddb:LinelltemTotal FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Line item total</b> Example: 14800.00	TotalDigits: 18	<i>Element</i>
TotalAllowanceAndChargeAmountFromHeader	M	1..1	Type: sddb:TotalAllowanceAndChargeAmountFromHeader FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Total allowance and charge amount from header</b> Example: 100.00	TotalDigits: 18	<i>Element</i>
TotalTaxableAmount	M	1..1	Type: sddb:TotalTaxableAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Total taxable amount</b> Example: 14900.00	TotalDigits: 18	<i>Element</i>
TotalTaxes	M	1..1	Type: sddb:TotalTaxes FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Total taxes</b> Example: 3724.55	TotalDigits: 18	<i>Element</i>
RoundingOff	O	0..1	Type: sddb:RoundingOff FractionDigits: 4 TotalDigits: 5 Format: sddb:Integer5Dec4 Name: <b>Rounding off</b> Example: .45	TotalDigits: 5	<i>Element</i>
AmountDue	M	1..1	Type: sddb:AmountDue FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Amount due</b> Example: 18625.00	TotalDigits: 18	<i>Element</i>
NonTaxableAmount	O	0..1	Type: sddb:NonTaxableAmount FractionDigits: 4	TotalDigits: 18	<i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggfaktura

## XML Guideline

Elements	St	Occurrence	Annotations
			TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Non-taxable amount</b> Example: 3756.00
ExemptionAmount	O	0..1	Type: sddb:ExemptionAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Exemption amount</b> Example: 3546.00 TotalDigits: 18 <i>Element</i>
Tax	M	1..unbounded	Type: sddb:Tax Name: <b>TAX Handling</b> <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
TaxBaseTypeNeB	M	1..1	Type: sddb:TaxBaseType_NeB Length: .. 3 Format: sddb:TaxBaseType_NeB Name: <b>Duty/tax/fee type, coded</b> Example: VAT Code/Description <b>ENV</b> Environmental tax Tax assessed for funding or assuring environmental protection or clean-up. <b>VAT</b> Value added tax A tax on domestic or imported goods applied to the value added at each stage in the production/distribution cycle. <i>Element</i>
TaxCategoryNeBType	M	1..1	Type: sddb:TaxCategoryNeB_Type Length: 0 .. 3 Format: sddb:TaxCategoryNeB_Type Name: <b>Duty or tax or fee category code</b> Example: S Code/Description <b>AAP</b> VAT exempt/reverse charge, within the constructions business Article 199 1 a-b of council directive 2006/112//EC <b>E</b> Exempt from tax Code specifying that taxes are not applicable. <b>S</b> Standard rate Code specifying the standard rate. <b>Z</b> Zero rated goods Code specifying that the goods are at a zero rate. <i>Element</i>

St = Status: M=Mandatory, O=Optional

# SMSI Byggbfaktura

## XML Guideline

Elements	St	Occurrence	Annotations	
ExemptionReasonTextNeB	O	0..1	Type: sddb:ExemptionReasonTextNeB Length: 0 .. 512 Format: sddb:String512 Name: <b>Justification for tax exemption, clear text</b> Example: NA	<i>Element</i>
VATRate	M	1..1	Type: sddb:VATRate FractionDigits: 4 TotalDigits: 6 Format: sddb:Integer6Dec4 Name: <b>VAT rate</b> Example: 25	TotalDigits: 6 <i>Element</i>
TaxAmount	O	0..1	Type: sddb:TaxAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Tax amount</b> Example: 3725.00	TotalDigits: 18 <i>Element</i>
TaxableAmount	O	0..1	Type: sddb:TaxableAmount FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>Taxable amount</b> Example: 14900.00	TotalDigits: 18 <i>Element</i>
VATAmountInVATCurrency	O	0..1	Type: sddb:VATAmountInVATCurrency FractionDigits: 4 TotalDigits: 18 Format: sddb:Integer18Dec4 Name: <b>VAT amount in VAT currency</b> Example: 3725.00	TotalDigits: 18 <i>Element</i>

St = Status: M=Mandatory, O=Optional