

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
CallOffOrder	M		Type: CallOffOrder Description: This business transaction provides a call off order, based on contract, for material, freight and/or machine services. Name: Call off order	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
CallOffHeader	M	1..1	Type: CallOffHeader Name: Call off header	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
CallOffNumber	M	1..1	Type: sddb:CallOffNumber Length: 0 .. 17 Format: sddb:String17 Name: Call off number Example: 778899	<i>Element</i>
CallOffReference	O	0..1	Type: sddb:CallOffReference Format: xs:string Description: Used when there are separate call off orders for service and goods. Name: Call off reference Example: 457878	<i>Element</i>
OrderDateAndTime	M	1..1	Type: sddb:OrderDateAndTime Pattern: \d{12} Format: sddb:DateAndShortTime Name: Order date and time Example: 201206011055	<i>Element</i>
ReferenceToDocument	M	1..1	Type: sddb:ReferenceToDocument Name: Document references	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
ProjectNumber	M	1..1	Type: sddb:ProjectNumber Length: 0 .. 70 Format: sddb:String70 Description: The number shall be included in all messages from delivery schedule to invoice. Name: Project number Example: 6411-001	<i>Element</i>
ReferenceToAgreementOrContract	O	0..1	Type: sddb:ReferenceToAgreementOrContract Length: 0 .. 35 Format: sddb:String35	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
InstructionsURL	O	0..1	Name: Reference to agreement or contract Example: 2012-012 Type: sddb:InstructionsURL Length: 0 .. 70 Format: sddb:String70	<i>Element</i>
Instructions	O	0..1	Name: Instructions URL Example: www.instructionweb.com/SicklaRoadProject Type: sddb:Instructions Length: 0 .. 70 Format: sddb:String70	<i>Element</i>
BuyerNeB	M	1..1	Name: Instructions Example: Certified training in loading security is required for drivers. Type: sddb:BuyerNeB	<i>Element</i>
xs:sequence	M	1..1	Description: Buyer	<i>ContentModel</i>
Buyer	O	0..1	Name: Buyer Type: sddb:Buyer Pattern: \d{13} Format: sddb:GLN Description: Identification with a GLN number.	<i>Element</i>
PartyIdentifier	O	0..1	Name: Buyer Example: 7381030000028 Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier	<i>Element</i>
Department	O	0..1	Name: Partner Identifier Example: 7651235 Type: sddb:Department Length: 0 .. 35 Format: sddb:Department	<i>Element</i>
SupplierNeB	M	1..1	Name: Department Example: Inköp Type: sddb:SupplierNeB Description: One of T0009 and T6001 must be used. Name: Supplier	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
<ul style="list-style-type: none"> xs:sequence Supplier 	M	1..1	Type: Type: sddb:Supplier Pattern: \d{13} Format: sddb:GLN Description: Identification with a GLN number. Name: Supplier Example: 7381030000032	ContentModel Element
<ul style="list-style-type: none"> PartyIdentifier 	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: Partner Identifier Example: 7652344	Element
<ul style="list-style-type: none"> Department 	O	0..1	Type: sddb:Department Length: 0 .. 35 Format: sddb:Department Name: Department Example: Försäljning	Element
<ul style="list-style-type: none"> Text 	O	0..1	Type: sddb:Text Name: Free Text/information	Element
<ul style="list-style-type: none"> xs:sequence TransportationInformation 	M	1..1	Type: sddb:TransportationInformation Length: 0 .. 512 Format: sddb:String512 Name: Transport information Example: Transport utföres med bil med baklift	ContentModel Element
<ul style="list-style-type: none"> EntryCode 	O	0..1	Type: sddb:EntryCode Length: 0 .. 12 Format: sddb:String12 Description: Only in header if the same for the whole calloff, otherwise on line level. Name: Entry code Example: 4598	Element
<ul style="list-style-type: none"> PeriodOfValidityStart 	O	0..1	Type: sddb:PeriodOfValidityStart Pattern: \d{12} Format: sddb:DateAndShortTime Name: Period of validity start Example: 201506220930	Element

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
<ul style="list-style-type: none"> └─ PeriodOfValidityEnd 	O	0..1	Type: sddb:PeriodOfValidityEnd Pattern: \d{12} Format: sddb:DateAndShortTime Name: Period of validity end Example: 201506220945	<i>Element</i>
<ul style="list-style-type: none"> └─ CallOffLines 	M	1..unbounded	Type: CallOffLines Description: A call off can include both goods and services. Goods and services should be on separate lines. Name: Call off lines	<i>Element</i>
<ul style="list-style-type: none"> └─ xs:sequence 	M	1..1	Type: sddb:LineNumber	<i>ContentModel</i>
<ul style="list-style-type: none"> └─ └─ LineNumber 	M	1..1	FractionDigits: 0 TotalDigits: 6 Format: sddb:Integer6 Name: Line number Example: 0001	<i>Element</i>
<ul style="list-style-type: none"> └─ CustomerRemarks 	O	0..1	Type: sddb:CustomerRemarks Length: 0 .. 512 Format: sddb:String512 Description: Information connected to the call off order line, eg information to the service company about the material to be freighted. Name: Customers remarks Example: Leverans önskas tillsammans med order 456789	<i>Element</i>
<ul style="list-style-type: none"> └─ DeliveryPeriodStartDateTime 	M	1..1	Type: sddb:DeliveryPeriodStartDateTime Pattern: \d{12} Format: sddb:DateAndShortTime Name: Delivery period start date time Example: 201501011200	<i>Element</i>
<ul style="list-style-type: none"> └─ DeliveryPeriodEndDateTime 	O	0..1	Type: sddb:DeliveryPeriodEndDateTime Pattern: \d{12} Format: sddb:DateAndShortTime Name: Delivery period end date time Example: 201501081200	<i>Element</i>
<ul style="list-style-type: none"> └─ ArticleIdentifiers 	M	1..1	Type: sddb:ArticleIdentifiers Description: Either of terms T0154 or T0172 must occur. Name: Identification, article number	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
xs:sequence	M	1..1	Type:	ContentModel
GlobalTradeItemNumber	O	0..1	Type: sddb:GlobalTradeItemNumber Pattern: \d{14} Format: sddb:GTIN Name: Global Trade Item Number(GS1) Example: 07391753017388	Element
SuppliersArticleNumber	O	0..1	Type: sddb:SuppliersArticleNumber Length: 0 .. 35 Format: sddb:String35 Description: Article number according to article register in T6317. Name: Supplier's article number Example: 10038-00 360012	Element
ArticleNumberTypeCoded	O	0..3	Type: sddb:ArticleNumberTypeCoded Length: 0 .. 3 Format: sddb:ArticleNumberTypeCoded Description: The term can occur together with T0172, T6389 and T6339. Available codes are SBMI (code=01), Sveriges Åkeriföretag (code=02), Svensk Betong (code 04) and Waste code (code 07). For own defined article numbers, use code "SA" for supplier article register and code "BP" for buyer article register. Shall always occur when material is ordered together with freight and the price refers material with freight included. Name: Article number type, coded Example: 01	Element
Code/Description				
01			SBMI	
02			Sveriges Åkeriföretag	
04			Svensk Betong	
07			Waste code	
BP			Buyer's article register	
SA			Supplier's article register	
ArticleDescription	O	0..1	Type: sddb:ArticleDescription Length: 0 .. 350 Format: sddb:String350 Name: Article description Example: Huggmejsel 95 250x28 mm	Element
InitialArticle	O	0..1	Type: sddb:InitialArticle Length: 0 .. 35	Element

St = Status: M=Mandatory, O=Optional

XML Guideline

Elements	St	Occurrence	Annotations
			Format: sddb:String35 Name: Initial article Example: K00032eEN13242
AlternativeVehicleType	O	0..1	Type: sddb:AlternativeVehicleType Length: 0 .. 35 Format: sddb:String35 Description: The term is only to be used for when price for the article includes a transport service and the buyer orders a type of vehicle that is not included in the contract. Article number should be from the article register of the Swedish Association of Road Transport Companies. Only to be used for civil engineering transports of aggregate materials. Element
TermsOfDeliveryNeB	O	0..1	Name: Alternative vehicle type Example: 1307150108 Type: sddb:TermsOfDeliveryNeB Length: 0 .. 3 Format: sddb:TermsOfDeliveryNeB Description: Only delivery terms HLS, HOS, LIK, LLK, LOK and only for civil engineering and aggregate materials. Element
OrderedQuantityNeB	M	1..1	Name: Terms of delivery Example: EXW Type: sddb:OrderedQuantityNeB Element
xs:sequence	M	1..1	Name: Ordered quantity group Type: ContentModel
OrderedQuantity	M	1..1	Type: sddb:OrderedQuantity FractionDigits: 4 TotalDigits: 15 Format: sddb:Quantity TotalDigits: 15 Name: Ordered quantity Example: 10 Element
MeasureUnitNeBType	M	1..1	Type: sddb:MeasureUnitNeBType Length: .. 3 Format: sddb:MeasureUnitNeBType Name: Measurement unit code Example: HUR Code/Description
			HUR hour KTM kilometre

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations
			Code/Description MTQ cubic metre PCE Piece TC truckload TNE tonne (metric ton) ZKH öre/kwh ZTK Tonkilometre
Text	O	0..1	Type: sddb:Text Name: Free Text/information <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
DeliveryMarkInstruction	O	0..1	Type: sddb:DeliveryMarkInstruction Length: 0 .. 350 Format: sddb:DeliveryMarkInstruction Name: Delivery instruction marks Example: Leveranser mottages mellan 07.00 - 10.00 <i>Element</i>
EntryCode	O	0..1	Type: sddb:EntryCode Length: 0 .. 12 Format: sddb:String12 Description: <i>Only in header if the same for the whole calloff, otherwise on line level.</i> Name: Entry code Example: 4598 <i>Element</i>
PeriodOfValidityStart	O	0..1	Type: sddb:PeriodOfValidityStart Pattern: \d{12} Format: sddb:DateAndShortTime Name: Period of validity start Example: 201506220930 <i>Element</i>
PeriodOfValidityEnd	O	0..1	Type: sddb:PeriodOfValidityEnd Pattern: \d{12} Format: sddb:DateAndShortTime Name: Period of validity end Example: 201506220945 <i>Element</i>
ConsigneeNeB	M	1..1	Type: sddb:ConsigneeNeB Description: <i>One of T0036 and T6001 must be used.</i> Name: Consignee <i>Element</i>
xs:sequence	M	1..1	Type: <i>ContentModel</i>
Consignee	O	0..1	Type: sddb:Consignee <i>Element</i>

St = Status: M=Mandatory, O=Optional

XML Guideline

Elements	St	Occurrence	Annotations	
			Pattern: \d{13} Format: sddb:GLN Name: Consignee Example: 7381030000035	
AddressNeB	O	0..1	Type: sddb:AddressNeB Name: Id number/Name and address	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: Partner Identifier Example: 7654567	<i>Element</i>
PartyName	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: Party name Example: TPL logistik	<i>Element</i>
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: Street name Example: Filialvägen 21	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: City name Example: Tstad	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: Postal code Example: 23219	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode Length: .. 3 Format: sddb:CountryBaseType Name: Country, coded	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
ReceiverCoordinateX	O	0..1	Example: SE Type: sddb:ReceiverCoordinateX Length: 0 .. 25 Format: sddb:String25 Name: Receiver coordinate X Example: 18.06468	<i>Element</i>
ReceiverCoordinateY	O	0..1	Type: sddb:ReceiverCoordinateY Length: 0 .. 25 Format: sddb:String25 Name: Receiver coordinate Y Example: 59.330619	<i>Element</i>
ConsigneesContact	O	0..unbounded	Type: sddb:ConsigneesContact Name: Consignee's contact	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: Name Example: Lena Nilsson	<i>Element</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: Phone number Example: +4682251590	<i>Element</i>
SMSNumber	O	0..1	Type: sddb:SMSNumber Length: 0 .. 25 Format: sddb:String25 Name: SMS number Example: +4682251590	<i>Element</i>
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512 Name: Email address Example: lena@tplogistik	<i>Element</i>
ShipFromNeB	M	1..1	Type: sddb:ShipFromNeB Description: One of T0129 and T6001 must be used.	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
xs:sequence	M	1..1	Name: Ship from Type:	<i>ContentModel</i>
Shipper	O	0..1	Type: sddb:Shipper Pattern: \d{13} Format: sddb:GLN Name: Shipper Example: 7381030000099	<i>Element</i>
Address_NeB	O	0..1	Type: sddb:AddressNeB Name: Id number/Name and address	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
PartyIdentifier	O	0..1	Type: sddb:PartyIdentifier Length: 0 .. 35 Format: sddb:PartyIdentifier Name: Partner Identifier Example: 7666558	<i>Element</i>
PartyName	O	0..1	Type: sddb:PartyName Length: 0 .. 35 Format: sddb:PartyName Name: Party name Example: Plast AB	<i>Element</i>
StreetName	O	0..1	Type: sddb:StreetName Length: 0 .. 35 Format: sddb:StreetName Name: Street name Example: Strandgatan 12	<i>Element</i>
CityName	O	0..1	Type: sddb:CityName Length: 0 .. 35 Format: sddb:CityName Name: City name Example: Sölvesborg	<i>Element</i>
PostalCodeNeB	O	0..1	Type: sddb:PostalCodeNeB Length: 0 .. 17 Format: sddb:String17 Name: Postal code Example: 25922	<i>Element</i>
CountryCode	O	0..1	Type: sddb:CountryCode	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations	
			Length: .. 3 Format: sddb:CountryBaseType Name: Country, coded Example: SE	
SenderCoordinateX	O	0..1	Type: sddb:SenderCoordinateX Length: 0 .. 25 Format: sddb:String25 Name: Sender coordinate X Example: 17.680456	<i>Element</i>
SenderCoordinateY	O	0..1	Type: sddb:SenderCoordinateY Length: 0 .. 25 Format: sddb:String25 Name: Sender coordinate Y Example: 59.846599	<i>Element</i>
ShipFromContact	O	0..1	Type: sddb:ShipFromContact Name: Ship from contact Example: Per Norman	<i>Element</i>
xs:sequence	M	1..1	Type:	<i>ContentModel</i>
Name	O	0..1	Type: sddb:Name Length: 0 .. 35 Format: sddb:String35 Name: Name Example: Ola Norman	<i>Element</i>
PhoneNumber	O	0..1	Type: sddb:PhoneNumber Length: 0 .. 25 Format: sddb:String25 Name: Phone number Example: +4681234567	<i>Element</i>
SMSNumber	O	0..1	Type: sddb:SMSNumber Length: 0 .. 25 Format: sddb:String25 Name: SMS number Example: +4681234567	<i>Element</i>
EmailAddress	O	0..1	Type: sddb:EmailAddress Length: 0 .. 512 Format: sddb:String512	<i>Element</i>

St = Status: M=Mandatory, O=Optional

BEAst Supply NeC Call off order



XML Guideline

Elements	St	Occurrence	Annotations
			Name: Email address Example: ola.norman@plast.se

St = Status: M=Mandatory, O=Optional