

## XML Structure Chart

St	Occurrence	Element
		<b>ProjectList</b>
M	1 .. 1	xs:sequence
M	1 .. 1	<b>ProjectHeader</b>
		xs:sequence
M	1 .. 1	<b>MessageNumber</b>
M	1 .. 1	<b>DocumentDate</b>
M	1 .. 1	<b>InterchangeSenderParty</b>
		xs:sequence
O	0 .. 1	<b>InterchangeSender</b>
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>PartyIdentifier</b>
O	0 .. 1	<b>PartyName</b>
O	0 .. 1	<b>InterchangeRecipientParty</b>
		xs:sequence
O	0 .. 1	<b>InterchangeRecipient</b>
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>PartyIdentifier</b>
O	0 .. 1	<b>PartyName</b>
M	1 .. unbounded	<b>ProjectLine</b>
		xs:sequence
M	1 .. 1	<b>ProjectNumber</b>
O	0 .. 1	<b>ProjectName</b>
O	0 .. 1	<b>ProjectStatus</b>
O	0 .. 1	<b>ProjectType</b>
O	0 .. 1	<b>Region</b>
O	0 .. 1	<b>Municipality</b>
O	0 .. 1	<b>ProjectStartDate</b>
O	0 .. 1	<b>ProjectEndDate</b>
O	0 .. 1	<b>ContractSum</b>
O	0 .. 1	<b>GuaranteePeriod</b>
M	1 .. 1	<b>ProjectOwner</b>
		xs:sequence
O	0 .. 1	<b>ProjectOwningParty</b>
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>PartyIdentifier</b>
O	0 .. 1	<b>PartyName</b>
O	0 .. 1	<b>Department</b>
O	0 .. 1	<b>StreetName</b>
O	0 .. 1	<b>Building</b>
O	0 .. 1	<b>PostalBoxNumber</b>
O	0 .. 1	<b>CityName</b>
O	0 .. 1	<b>PostalCodeNeB</b>
O	0 .. 1	<b>CountryCode</b>
O	0 .. 1	<b>InvoiceeNeB</b>
		xs:sequence
O	0 .. 1	<b>Invoicee</b>
O	0 .. 1	<b>AddressNeB</b>

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
M	1 .. 1	xs:sequence
O	0 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	<b>DeliveryNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	DeliveryParty
O	0 .. 1	DeliveryPlaceLocation
O	0 .. 1	EntryCode
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	StreetName
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	0 .. 1	<b>DeliveryContact</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	SMSNumber
O	0 .. 1	EmailAddress
O	0 .. 1	<b>ProjectContact1SiteManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact2ProjectPurchaser</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact3ProjectManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact4ProductionManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
O	0 .. 1	└─ EmailAddress ID06
O	0 .. 1	

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
		<b>ProjectHeader</b>
M	1 .. 1	xs:sequence
M	1 .. 1	MessageNumber
M	1 .. 1	DocumentDate
M	1 .. 1	<b>InterchangeSenderParty</b>
M	1 .. 1	xs:sequence
O	0 .. 1	InterchangeSender
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	Building
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	SenderCoordinateX
O	0 .. 1	SenderCoordinateY
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	0 .. 1	<b>GeographicPoint</b>
M	1 .. 1	xs:sequence
O	0 .. 1	GeographicalCo-ordinate1
O	0 .. 1	GeographicalCo-ordinate2
O	0 .. 1	GeographicalCo-ordinate3
O	0 .. 1	GeographicCo-ordinateSystemCode
O	0 .. 1	<b>InterchangeRecipientParty</b>
M	1 .. 1	xs:sequence
O	0 .. 1	InterchangeRecipient
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	Building
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	SenderCoordinateX
O	0 .. 1	SenderCoordinateY
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	0 .. 1	<b>GeographicPoint</b>
M	1 .. 1	xs:sequence
O	0 .. 1	GeographicalCo-ordinate1
O	0 .. 1	GeographicalCo-ordinate2

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
O	0 .. 1	GeographicalCo-ordinate3
O	0 .. 1	GeographicCo-ordinateSystemCode

## XML Structure Chart

St	Occurrence	Element
		<b>ProjectLine</b>
		xs:sequence
M	1 .. 1	ProjectNumber
M	1 .. 1	ProjectName
O	0 .. 1	ProjectStatus
O	0 .. 1	ProjectType
O	0 .. 1	Region
O	0 .. 1	Municipality
O	0 .. 1	ProjectStartDate
O	0 .. 1	ProjectEndDate
O	0 .. 1	ContractSum
O	0 .. 1	GuaranteePeriod
M	1 .. 1	<b>ProjectOwner</b>
		xs:sequence
M	1 .. 1	ProjectOwningParty
O	0 .. 1	<b>AddressNeB</b>
		xs:sequence
M	1 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	Building
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	SenderCoordinateX
O	0 .. 1	SenderCoordinateY
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	0 .. 1	<b>GeographicPoint</b>
		xs:sequence
M	1 .. 1	GeographicalCo-ordinate1
O	0 .. 1	GeographicalCo-ordinate2
O	0 .. 1	GeographicalCo-ordinate3
O	0 .. 1	GeographicCo-ordinateSystemCode
O	0 .. 1	<b>InvoiceeNeB</b>
		xs:sequence
M	1 .. 1	Invoicee
O	0 .. 1	<b>AddressNeB</b>
		xs:sequence
M	1 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	SenderCoordinateX
O	0 .. 1	

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
	0 .. 1	SenderCoordinateY
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	<b>0 .. 1</b>	<b>InvoicesContact</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	SMSNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	<b>0 .. 1</b>	<b>TaxReference</b>
M	1 .. 1	xs:sequence
O	0 .. 1	InvoiceVATRegistrationNumber
O	0 .. 1	RegistrationNumber
O	0 .. 1	FiscalNumber
O	0 .. 1	GovernmentReferenceNumber
O	0 .. 1	TaxRegistrationNumber
O	<b>0 .. 1</b>	<b>DeliveryNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	DeliveryParty
O	0 .. 1	DeliveryPlaceLocation
O	0 .. 1	EntryCode
O	<b>0 .. 1</b>	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	Building
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	SenderCoordinateX
O	0 .. 1	SenderCoordinateY
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	<b>0 .. 1</b>	<b>DeliveryContact</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	SMSNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	<b>0 .. 1</b>	<b>ProjectContact1SiteManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	SMSNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
O	0 .. 1	<b>ProjectContact2ProjectPurchaser</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>Name</b>
O	0 .. 1	<b>PhoneNumber</b>
O	0 .. 1	<b>SMSNumber</b>
O	0 .. 1	<b>EmailAddress</b>
O	0 .. 1	<b>ID06</b>
O	0 .. 1	<b>ProjectContact3ProjectManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>Name</b>
O	0 .. 1	<b>PhoneNumber</b>
O	0 .. 1	<b>SMSNumber</b>
O	0 .. 1	<b>EmailAddress</b>
O	0 .. 1	<b>ID06</b>
O	0 .. 1	<b>ProjectContact4ProductionManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	<b>Name</b>
O	0 .. 1	<b>PhoneNumber</b>
O	0 .. 1	<b>SMSNumber</b>
O	0 .. 1	<b>EmailAddress</b>
O	0 .. 1	<b>ID06</b>

St = Status: M=Mandatory, O=Optional



## XML Structure Chart

St	Occurrence	Element
		<b>ProjectList</b>
		└ xs:sequence
M	1 .. 1	└ <b>ProjectHeader</b>
		└ xs:sequence
M	1 .. 1	└ <b>MessageNumber</b>
M	1 .. 1	└ <b>DocumentDate</b>
M	1 .. 1	└ <b>InterchangeSenderParty</b>
		└ xs:sequence
O	0 .. 1	└ <b>InterchangeSender</b>
O	0 .. 1	└ <b>AddressNeB</b>
		└ xs:sequence
M	1 .. 1	└ <b>PartyIdentifier</b>
O	0 .. 1	└ <b>PartyName</b>
O	0 .. 1	└ <b>InterchangeRecipientParty</b>
		└ xs:sequence
M	1 .. 1	└ <b>InterchangeRecipient</b>
O	0 .. 1	└ <b>AddressNeB</b>
		└ xs:sequence
M	1 .. 1	└ <b>PartyIdentifier</b>
O	0 .. 1	└ <b>PartyName</b>
M	1 .. unbounded	└ <b>ProjectLine</b>
		└ xs:sequence
M	1 .. 1	└ <b>ProjectNumber</b>
O	0 .. 1	└ <b>ProjectName</b>
O	0 .. 1	└ <b>ProjectStatus</b>
O	0 .. 1	└ <b>ProjectType</b>
O	0 .. 1	└ <b>Region</b>
O	0 .. 1	└ <b>Municipality</b>
O	0 .. 1	└ <b>ProjectStartDate</b>
O	0 .. 1	└ <b>ProjectEndDate</b>
O	0 .. 1	└ <b>ContractSum</b>
O	0 .. 1	└ <b>GuaranteePeriod</b>
M	1 .. 1	└ <b>ProjectOwner</b>
		└ xs:sequence
M	1 .. 1	└ <b>ProjectOwningParty</b>
O	0 .. 1	└ <b>AddressNeB</b>
		└ xs:sequence
M	1 .. 1	└ <b>PartyIdentifier</b>
O	0 .. 1	└ <b>PartyName</b>
O	0 .. 1	└ <b>Department</b>
O	0 .. 1	└ <b>StreetName</b>
O	0 .. 1	└ <b>Building</b>
O	0 .. 1	└ <b>PostalBoxNumber</b>
O	0 .. 1	└ <b>CityName</b>
O	0 .. 1	└ <b>PostalCodeNeB</b>
O	0 .. 1	└ <b>CountryCode</b>
O	0 .. 1	└ <b>InvoiceeNeB</b>
		└ xs:sequence
M	1 .. 1	└ <b>Invoicee</b>
O	0 .. 1	└ <b>AddressNeB</b>

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
M	1 .. 1	xs:sequence
O	0 .. 1	PartyIdentifier
O	0 .. 1	PartyName
O	0 .. 1	Department
O	0 .. 1	StreetName
O	0 .. 1	PostalBoxNumber
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	<b>DeliveryNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	DeliveryParty
O	0 .. 1	DeliveryPlaceLocation
O	0 .. 1	EntryCode
O	0 .. 1	<b>AddressNeB</b>
M	1 .. 1	xs:sequence
O	0 .. 1	StreetName
O	0 .. 1	CityName
O	0 .. 1	PostalCodeNeB
O	0 .. 1	CountryCode
O	0 .. 1	ReceiverCoordinateX
O	0 .. 1	ReceiverCoordinateY
O	0 .. 1	<b>DeliveryContact</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	SMSNumber
O	0 .. 1	EmailAddress
O	0 .. 1	<b>ProjectContact1SiteManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact2ProjectPurchaser</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact3ProjectManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber
O	0 .. 1	EmailAddress
O	0 .. 1	ID06
O	0 .. 1	<b>ProjectContact4ProductionManager</b>
M	1 .. 1	xs:sequence
O	0 .. 1	Name
O	0 .. 1	PhoneNumber

St = Status: M=Mandatory, O=Optional

## XML Structure Chart

St	Occurrence	Element
O	0 .. 1	└─ EmailAddress ID06
O	0 .. 1	

St = Status: M=Mandatory, O=Optional